

2024 CATALOG



C A R P A R T S



A BRAND OF

RACING
FORCE
GROUP



Discover all Racing Force Group products



OMP racewear
2024 catalog



OMP car parts
2024 catalog



BELL helmets
2024 catalog



Racing Spirit
2024 catalog



Scan the QR code
for price list

RACING FORCE GROUP



The Group

Racing Force is the leading Group in the Motorsport Safety Product Industry with the most advanced and complete range of protection & performance products used worldwide by top professionals, amateur athletes, racing teams and car manufacturers from Formula 1® to World Rally Championship®, Sportscar racing, Stockcar, Rally-raid and Karting. In the last ten years Racing Force Group won more than 60 FIA World Championship titles along with IndyCar®, NASCAR® and Supercars® Championships. In order to gain international visibility and boosting its development plans, Racing Force is now a dual listed company: since November 2021 is listed on the Euronext Growth Milan market (RFG), and since September 2022 it entered also into the Euronext Growth Paris market (ALRFG). Racing Force Group (RFG) lies in the breadth of our iconic brand portfolio, our people, our vendors and our customers. The Group's core moral principles and work ethics include values such as integrity, respect, dedication, determination, diversity, sound judgment, dependability, accountability, teamwork, loyalty, quality and safety. We obtain success through a positive mental attitude, optimism, vision, courage, proactiveness and passion: this is our strength.

We in numbers

9 BRANDS & MARKS
TOGETHER AS ONE

SALES IN **80+** COUNTRIES
+**56035** EMPLOYEES OF **35** NATIONALITIES

8 LOCATIONS
7 SHOWROOMS
3 R&D CENTERS

MORE THAN **2.000** PRODUCTS
CORPORATE AND **SOCIALLY** RESPONSIBLE

2.000.000+
PIECES SHIPPED EVERY YEAR

PRODUCTS HOMOLOGATED BY **FIA | CIK-FIA | SFI | SNELL**

WE START FROM
WHY WE DO IT



RACING**FORCE**GROUP





SAFETY & QUALITY FOR FIA

SIDE BY SIDE SINCE 2012



FIA Motorsport



For over a decade Racing Force Group and FIA have been committed side by side on roads and racetracks to guarantee the protection of the people of racing. This story began in 2012 with the first agreement between OMP and the motorsport's world governing body, and it developed into something even bigger as Bell Racing Helmets became involved as well in the partnership.

FIA Motorsport



Technical racing clothing for FIA officials and safety car drivers across a range of FIA world championships (from F1 down) comes exclusively from Racing Force Group: OMP fire retardant suits, shoes, gloves and underwear, and Bell helmets.



FIA Karting Academy



Moreover, since 2017 OMP brand has the honor to supply technical racewear to the young contestants FIA Karting Academy Trophy, the forge of tomorrow's motorsport champions.



ALONGSIDE WORLD CHAMPIONS SINCE 1973

OMP turned 50.

In October 1973, in a suburb of Genoa, Italy, the company was founded to improve safety in auto racing.

Since then, OMP has been growing bigger, stronger, a well-known brand around the world.

Today OMP is one of the pillars of Racing Force Group. During all these years, OMP worked alongside legendary drivers, teams and manufacturers in the most important categories, providing protection and performance, becoming an icon of the modern motorsport era.

In its first 50 years, OMP has always wanted to innovate and push the boundaries of what was possible in motorsports safety, setting new benchmarks and contributing to numerous world titles and countless victories.

Now we are ready to begin our second half-century.





[1973]

OMP history begins with a Fiat 500 rollbar. Since then, OMP gets noticed more and more, becoming official car parts supplier for many Italian teams and manufacturers.



[1982]

OMP diversifies its production, entering the racewear market. The company soon supplies its first Formula 1 driver, Mauro Baldi of Arrows team.



[1986]

OMP is the world's first company to obtain the new FIA ISO 86 homologation standards for fireproof racing suits.



[1989]

Gerhard Berger survives the flames of his Ferrari, after the crash during the F1 race at Imola. Credit goes to fireproof overalls and gloves made by OMP. Millions of people see those moments on live TV, and the company becomes popular all over the world.



[1990]

OMP supplies F1 star Ayrton Senna. The partnership will last until the death of the legendary Brazilian driver, with 20 race victories and two world F1 titles scored together.



[1996]

Michael Schumacher kicks off his Ferrari era by choosing OMP overalls and gloves. It's the start of an historic collaboration, sharing 71 wins and five F1 world titles.



[1999]

OMP ends in style the 20th century, celebrating the fourth consecutive World Rally Championship title along with the Mitsubishi Ralliart team and Tommi Mäkinen.



[2008]

In February the control of OMP is acquired by SAYE S.P.A. Group, held by Delprato brothers from Genova.



[2010]

OMP returns to Formula 1, signing an agreement with Renault F1 Team to supply the first safety belts designed and built entirely by its R&D department.



[2012]

OMP conquers the US celebrating its maiden IndyCar Series title with Andretti Autosport driver Ryan Hunter-Reay.



[2013]

Volkswagen Motorsport opens a four-year WRC domination with Sebastien Ogier and OMP. It's the first of many world titles for the HTE seat.



[2013]

OMP provides the drivers' overalls for award-winning "Rush" movie directed by Ron Howard, reproducing in detail the 1976 F1 season overalls.



[2016]

Teaming up with OTK Group, and creating a new range of products, OMP marks a revolution into the karting industry.



[2017]

OMP presents "One Art", the first totally customized fire retardant suit. The "Print Art" technology guarantees complete control of the design process.



[2017]

OMP harnesses are chosen by Mercedes AMG Petronas Motorsport Team, which extends its Formula 1 Manufacturers' World Championships streak till the 2021 season.




[2019]

OMP acquires Bell Racing Helmets, giving birth to the biggest worldwide player in motorsport safety equipment.



[2021]

OMP and Bell Racing Helmets converge into the new Racing Force Group, along the emerging startups of Zeronoise and Racing Spirit.



[2022]

MotoGP legend Valentino Rossi begins his full-time car racing career, using OMP racewear and Bell Racing helmets through a multi-year partnership.



[2022]

OMP supplies Toyota Gazoo Racing WRT for the third WRC title in five years, while Kalle Rovanpera becomes youngest ever WRC champion.



[2023]

OMP becomes official partner of the 24 Hours of Le Mans and the FIA WEC, supplying safety gear for marshals, safety-car drivers, doctors, and all the on-track personnel.



[2023]

Envision Racing wins an historic FIA Formula E Teams' World Championship using the OMP racewear for its drivers.

RACING SPIRIT SINCE 1973



OUR PARTNERSHIPS

KALLE ROVANPERÄ



TOYOTA GAZOO



SEATS



SEAT HOMOLOGATION STANDARDS

FIA 8862-2009 HIGH-TECH TOP LEVEL SEATS

BEST SAFETY/WEIGHT RATIO HIGH-TECH CARBON FIBER AND FIBERGLASS SHELL.

MANDATORY IN FIA WORD CHAMPIONSHIP SUCH AS WRC, WEC AND OTHER TOP CATEGORIES.

SEE PAG. 16-27



FIA 8855-2021 NEW HIGH-SAFETY STANDARD

HIGH PROTECTION SHAPE 8862 INSPIRED REDUCED WEIGHT CARBON FIBER SHELL.

SEE PAG. 30-35



FIA 8855-1999 MOST WIDERSPREAD RACING SEAT RANGE

THREE MAIN MATERIALS: ENTRY LEVEL TUBULAR FRAME, MEDIUM RANGE FIBERGLASS SHELL, OR THE LIGHTER CARBON FIBER SHELL.

WIDE RANGE OF SHAPES SUITABLE FOR ANY TYPE OF SALOON CAR.

SEE PAG. 38-67



HA0-0829-A01


ON REQUEST

FIA 8862-2009



MANUFACTURER: OMP
MODEL: HTE ONE LITE
HOM. NO.: AS.084.19
FIA STANDARD: FIA 8862-2009


EXTREMELY ULTRA LIGHTWEIGHT VERSION OF HTE ONE LITE SEAT, AVAILABLE UPON REQUEST.
Realized with exclusive technology for maximum resistance and lightness. 3D fabric upholstery. Upholstering customized on demand. The use of supports homologated with the seat in accordance with the Technical List n°40 is compulsory.




larger shoulder harness slots



back, base removable cushions



split leg removable cushion




base cushion with anti-slip material



3D FABRIC UPHOLSTERING



ULTRALIGHT CARBON FIBER SHELL



HANS® COMPATIBLE CARBON FIBER SHELL

✓	3D FABRIC
✓	CUSHIONS SPLIT LEG
5	HARNESS SLOTS
5	WEIGHT* (KG)
W	FIXING M12

SEE SEAT COMPARISON TABLE PAGE 68


HA0-0807-A01

FIA 8862-2009



MANUFACTURER: OMP
MODEL: HTE ONE LITE
HOM. NO.: AS.084.19
FIA STANDARD: FIA 8862-2009


HIGH RESISTANT AND ULTRA LIGHTWEIGHT CARBON FIBER SEAT realized with exclusive technology for maximum resistance and lightness. 3D fabric upholstery. Upholstering customized on demand. The use of supports homologated with the seat in accordance with the Technical List n°40 is compulsory.




larger shoulder harness slots



back, base removable cushions




split leg removable cushion




base cushion with anti-slip material



3D FABRIC UPHOLSTERING



ULTRALIGHT CARBON FIBER SHELL



HANS® COMPATIBLE CARBON FIBER SHELL

✓	3D FABRIC
✓	CUSHIONS SPLIT LEG
5	HARNESS SLOTS
8	WEIGHT* (KG)
W	FIXING M12

SEE SEAT COMPARISON TABLE PAGE 68

HTE-ONE E 2


HA0-0825-A01


FIA 8862-2009


 APPROVED


MANUFACTURER: OMP
MODEL: HTE ONE E2
HOM. NO: AS.093.21
FIA STANDARD: FIA 8862-2009

SAFETY STANDARDS WITH FORMULA 1 KNOW-HOW.
Exclusive technology for maximum resistance and lightness.
Upholstering customized on demand.
The use of supports homologated with the seat in accordance with the Technical List n°40 is compulsory.



- 

1 larger shoulder harness slots
- 


2 back, base removable cushions
- 

3 split leg removable cushion
- 

4 base cushion with anti-slip material



HANS® COMPATIBLE CARBON FIBER SHELL	
✓	3D FABRIC
✓	CUSHIONS SPLIT LEG
5	HARNESS SLOTS
9.9	WEIGHT* (KG)
W	FIXING M12



HTE-ONE E XL

HA0-0798-A01


FIA 8862-2009


 APPROVED


MANUFACTURER: OMP
MODEL: HTE ONE XL
HOM. NO: AS.06717
FIA STANDARD: FIA 8862-2009


Same characteristics as HA0-0825. The use of supports homologated with the seat in accordance with the Technical List n°40 is compulsory.

XL VERSION LARGER AND HIGHER

- 

1 larger shoulder harness slots
- 


2 back, base removable cushions
- 

3 split leg removable cushion
- 

4 base cushion with anti-slip material



HANS® COMPATIBLE CARBON FIBER SHELL	
✓	3D FABRIC
✓	CUSHIONS SPLIT LEG
5	HARNESS SLOTS
10.1	WEIGHT* (KG)
W	FIXING M12



HA0-0800-A01

FIA 8862-2009

FIA

APPROVED

MANUFACTURER: OMP

MODEL: HRC ONE LITE

HOM. NO: AS.075.19

FIA STANDARD: FIA 8862-2009



ULTRA LIGHTWEIGHT
CARBON FIBER SEAT


Designed to allow installation and comfortable driving position also in GT cars with reduced internal room.
3D fabric upholstery.
The use of supports homologated with the seat in accordance with the Technical List n°40 is compulsory.
HCO-0893 HSC PATENT included.




1
HSC adjustable
harness slots




2
back, base
removable cushions



3
split leg removable
cushion



4
base cushion
with anti-slip material



ULTRALIGHT VERSION
-20% WEIGHT

HANS® COMPATIBLE CARBON FIBER SHELL	
✓	3D FABRIC
✓	CUSHIONS SPLIT LEG
5	HARNESS SLOTS
6.8	WEIGHT* (KG)
W	FIXING M12

HA0-0805-A01

FIA 8862-2009

FIA

APPROVED

MANUFACTURER: OMP

MODEL: HRC ONE LITE RC


HOM. NO: AS.083.19

FIA STANDARD: FIA 8862-2009




LIGHTWEIGHT CARBON FIBER SEAT
designed to allow installation and comfortable driving position also in GT cars with reduced internal room. 3D fabric upholstery.
The use of supports homologated with the seat in accordance with the Technical List n°40 is compulsory.

HRC ONE LITE SEAT VERSION WITH TWO
ATTACHMENT POINTS TO THE ROLL CAGE
(MANDATORY REQUIREMENT FOR GT3
CARS HOMOLOGATED AFTER 1ST
JANUARY 2019)



HANS® COMPATIBLE CARBON FIBER SHELL	
✓	3D FABRIC
✓	CUSHIONS SPLIT LEG
5	HARNESS SLOTS
6.8	WEIGHT* (KG)
W	FIXING M12






HA0-0789-A01

FIA 8862-2009




MANUFACTURER: OMP
MODEL: HRC ONE
HOM. NO: AS.033.14
FIA STANDARD: FIA 8862-2009


SAFETY COMPARABLE TO FORMULA 1 CARS, with exclusive technology for maximum resistance and lightness. Designed to allow installation and comfortable driving position also in GT cars with reduced internal room. The use of supports homologated with the seat in accordance with the Technical List n°40 is compulsory.



3D FABRIC
UPHOLSTERING




LIGHT CARBON
FIBER SHELL



HANS® COMPATIBLE
CARBON FIBER SHELL

✓	3D FABRIC
✓	CUSHIONS SPLIT LEG
5	HARNESSES SLOTS
9.2	WEIGHT* (KG)
W	FIXING M12

SEE SEAT COMPARISON TABLE PAGE 68




HA0-0815-A01

FIA 8862-2009



MANUFACTURER: OMP
MODEL: HTC ONE
HOM. NO.: AS.085.19
FIA STANDARD: FIA 8862-2009

CARBON FIBER SEAT HIGH RESISTANT AND ULTRALIGHT SHELL
Best lightness/price rate. High protection shoulder and head containment, designed to allow installation and comfortable driving position also in GT cars with reduced internal room. The use of supports homologated with the seat in accordance with the Technical List n°40 is compulsory.




larger shoulder harness slots




HSC PATENT COMPATIBLE



high comfort and containment




split leg removable cushion



base cushion with anti-slip material




3D FABRIC UPHOLSTERING



LIGHT CARBON FIBER SHELL




STANDARD: L SIZE
M SIZE (HIGHER CONTAINMENT) AVAILABLE



HANS® COMPATIBLE CARBON FIBER SHELL

✓	3D FABRIC
✓	CUSHIONS SPLIT LEG
5	HARNES SLOTS
9	WEIGHT* (KG)
W	FIXING M12



SEE SEAT COMPARISON TABLE PAGE 68



HA0-0900-A01


FIA 8855-2021




MANUFACTURER: OMP
MODEL: HTC EVO CARBON
HOM. NO: CS.009.21
FIA STANDARD: FIA 8855-2021




RACING SEAT
High protection shoulder and head containment, designed to allow installation and comfortable driving position also in GT cars with reduced internal room. Racing net references on side, large shoulder harness slots. Upholstering in new breathable 3D fabric. Mandatory brackets HC0-0945 excluded.



larger shoulder harness slots




high comfort and containment




back, base removable cushions




shaped leg cushion



base and shoulders upholstered with anti-slip material



HANS® COMPATIBLE CARBON FIBER SHELL	
✓	3D FABRIC
✓	SHAPED LEG CUSHION
5	HARNESS SLOTS
7.8	WEIGHT* (KG)
W	FIXING M12



SEE SEAT COMPARISON TABLE PAGE 68

HA0-0903-A01


FIA 8855-2021




MANUFACTURER: OMP
MODEL: HTC EVO
HOM. NO: CS.015.23
FIA STANDARD: FIA 8855-2021




GEL COATED FIBERGLASS SEAT
Same features as HA0-0900-A01, but with gel coated fiberglass shell. Mandatory brackets HC0-0951-A03 not included



larger shoulder harness slots




high comfort and containment



back, base removable cushions




shaped leg cushion



base and shoulders upholstered with anti-slip material



HANS® COMPATIBLE CARBON FIBER SHELL	
✓	3D FABRIC
✓	SHAPED LEG CUSHION
5	HARNESS SLOTS
12.5	WEIGHT* (KG)
W	FIXING M12



SEE SEAT COMPARISON TABLE PAGE 68


HA0-0902-A01

FIA 8855-2021




MANUFACTURER: OMP
MODEL: HTE EVO2 CARBON
HOM. NO: CS.016.23
FIA STANDARD: FIA 8855-2021


RACING SEAT
Innovative ultraproductive shell inspired by the multi world champion OMP HTE ONE LITE seat. High protection and containment, designed to accomodate various heights. Racing net references on side, large shoulder harness slots. Upholstering in new breathable 3D fabric. Mandatory brackets HC0-0951-A01 not included.



larger shoulder harness slots




high comfort and containment



back, base removable cushions




shaped leg cushion




base and shoulders upholstered with anti-slip material



3D FABRIC
UPHOLSTERING



ULTRA PROTECTIVE
CARBON FIBER SHELL



HANS® COMPATIBLE
CARBON FIBER SHELL

✓	3D FABRIC
✓	SHAPED LEG CUSHION
5	HARNESS SLOTS
8.2	WEIGHT* (KG)
W	FIXING M12

SEE SEAT COMPARISON TABLE PAGE 68



HTE-EVO 2


HA0-0901-A01

FIA 8855-2021



MANUFACTURER: OMP
MODEL: HTE EVO 2
HOM. NO: CS.017.23
FIA STANDARD: FIA 8855-2021


RACING SEAT
Innovative ultraproductive shell inspired by the multi world champion OMP HTE ONE LITE seat. High protection and containment, designed to accomodate various heights. Large shoulder harness slots. Upholstering in new 3D velour and antislip point. Mandatory brackets HCO-0951-A02 not included.



larger shoulder harness slots




high comfort and containment



back, base removable cushions



shaped leg cushion



base and shoulders upholstered with anti-slip material




3D FABRIC UPHOLSTERING

GEL COATED FIBERGLASS SHELL

HANS® COMPATIBLE CARBON FIBER SHELL

✓	3D FABRIC
✓	SHAPED LEG CUSHION
5	HARNESS SLOTS
12.6	WEIGHT* (KG)
W	FIXING M12



NEW

HTE-EVO 2 XL


HA0-0904-A01

“XL” SHAPE: LARGER VERSION OF HTE EVO SEAT.
Same characteristics as HA0-0901.

FIA 8855-2021




MANUFACTURER: OMP
MODEL: XXXXXX
HOM. NO: CS.XXX.21
FIA STANDARD: FIA 8855-2021



HANS® COMPATIBLE CARBON FIBER SHELL

✓	3D FABRIC
✓	SHAPED LEG CUSHION
5	HARNESS SLOTS
	WEIGHT* (KG)
W	FIXING M12



NEW

HTE-EVO 2 S

HA0-0905-A01

“S” SHAPE: COMPACT VERSION OF HTE EVO SEAT.

FIA 8855-2021




MANUFACTURER: OMP
MODEL: XXXXXXXX
HOM. NO: CS.XXX.21
FIA STANDARD: FIA 8855-2021



HANS® COMPATIBLE CARBON FIBER SHELL

✓	3D FABRIC
✓	SHAPED LEG CUSHION
5	HARNESS SLOTS
	WEIGHT* (KG)
W	FIXING M12





HA0-0745-A01

FIA 8855-1999



MANUFACTURER: OMP
MODEL: MCC/PROTOTIPO
HOM. NO: CS.119.04
FIA STANDARD: FIA 8855-1999


IDEAL SEAT FOR GT CARS
with ultralight carbon shell. Large shoulder harness slots to accommodate various heights. High side bolsters for lateral leg support and maximum protection. Head, back, side, base and splitted leg cushions are removable to allow maximum individual seating comfort. Upholstered entirely in velour. Compatible with Hans device.



shaped safety
head rest



head, back, lateral
and base removable
cushion




split leg cushion



VELOUR
total upholstery

**ULTRALIGHT
CARBON FIBER SHELL**



HA0-0818-A01


FIA 8855-1999




MANUFACTURER: OMP
MODEL: HTE EVO VTR
HOM. NO: CS.440.19
FIA STANDARD: FIA 8855-1999




FIBERGLASS FIBER SEAT
Innovative ultraprotective shell inspired by the multi world champion OMP HTE ONE EVO seat. High protection and containment, designed to accomodate various heights. Large shoulder harness slots. Upholstering in velour and Airnet.



larger shoulder harness slots




high protection



shoulders upholstered with anti-slip material



HSC PATENT COMPATIBLE



AIRNET



VELOUR



HANS® COMPATIBLE FIBERGLASS SHELL

✓	AIRNRT / VELOUR
5	HARNESS SLOTS
9.9	WEIGHT* (KG)
W	FIXING M8

HTE-EVO CARBON


HA0-0817-A01

CARBON FIBER SEAT
Same features as HA0-0818-A01, carbon fiber shell.

FIA 8855-1999



MANUFACTURER: OMP
MODEL: HTE EVO CARBON
HOM. NO: CS.455.20
FIA STANDARD: FIA 8855-1999



HANS® COMPATIBLE CARBON FIBER SHELL

✓	AIRNRT / VELOUR
5	HARNESS SLOTS
6.5	WEIGHT* (KG)
W	FIXING M8

NEW

HTE-EVO OFFROAD


HA0-0830-A01

FIBERGLAS SHELL
Same features as HA0-0818-A01, The full gelcoat finishing and the quick removable neoprene padding allows to easily wash the seat from mud and dirt.


Not FIA homologated.




base removable cushion



high protection



larger shoulder harness slots



HANS® COMPATIBLE CARBON FIBER SHELL

✓	REMOVABLE PADDING
5	HARNESS SLOTS
9.9	WEIGHT* (KG)
W	FIXING M12

HRC-R CARBON



HA0-0788-A01

FIA 8855-1999




MANUFACTURER: OMP
MODEL: HRC
HOM. NO: CS.296.13
FIA STANDARD: FIA 8855-1999

PROFESSIONAL RACING SEAT
designed to allow installation and comfortable driving position also in GT cars with reduced internal room. Airnet and velour upholstery.




HSC PATENT COMPATIBLE



HANS® COMPATIBLE CARBON FIBER SHELL

✓	AIRNET / VELOUR
✓	CUSHIONS SPLIT LEG
5	HARNESS SLOTS
6.5	WEIGHT* (KG)
W	FIXING M8



HRC-R CARBON AIR

HA0-0786-A01

FIA 8855-1999





MANUFACTURER: OMP
MODEL: HRC-R AIR
HOM. NO: CS.293.13
FIA STANDARD: FIA 8855-1999

PREIMPREGNATED CARBON FIBER VERSION COMPLETE WITH AIR COOLING KIT (HC0-0913-A01) AND PREFORATED BACK CUSHION (HB0-0703)

Designed to allow installation and comfortable driving position also in GT cars with reduced internal room. Upholstered in high breathability Airnet material. Fits in vehicles with compact cockpits.

The velvet side is thought for the application of containment cushion, which are available in 2 sizes (M or S) see on page 64 ref. HB0-0701




HSC PATENT COMPATIBLE



PREDRILLED SHELL FOR AIR COOLING KIT HC0-0913-A01

HANS® COMPATIBLE CARBON FIBER SHELL

✓	AIRNET / VELOUR
✓	CUSHIONS SPLIT LEG
5	HARNESS SLOTS
6.5	WEIGHT* (KG)
W	FIXING M8



HRC-R

HA0-0793-A01

Same characteristics as HA0-0793-A01, gel coated fiberglass shell.
(Air Cooling Kit excluded)


FIA 8855-1999

 **APPROVED**

MANUFACTURER: OMP
MODEL: HRC-FIBERGLASS AIR
HOM. NO: CS.30714
FIA STANDARD: FIA 8855-1999



HANS® COMPATIBLE GEL COATED FIBERGLASS SHELL	
✓	AIRNET / VELOUR
✓	CUSHIONS SPLIT LEG
5	HARNESS SLOTS
9.5	WEIGHT* (KG)
W	FIXING M8



HRC-R XL

HA0-0794-A01


Same characteristics as HA0-0793-A01

XL VERSION LARGER AND HIGHER



FIA 8855-1999

 **APPROVED**

MANUFACTURER: OMP
MODEL: HRC-FIBERGLASS AIR XL
HOM. NO: CS.31314
FIA STANDARD: FIA 8855-1999




HANS® COMPATIBLE GEL COATED FIBERGLASS SHELL	
✓	AIRNET / VELOUR
✓	CUSHIONS SPLIT LEG
5	HARNESS SLOTS
10.3	WEIGHT* (KG)
W	FIXING M8



Our proprietary sublimation technology “OMP Print Art” allows you to customize the HTE-R and WRC-R seats with any design, also including photos and color blendings. The exploded view above gives an example of the seats’ areas where maximum creative freedom can be expressed.

Create your OMP Art seat right now on our website: www.ompracing.com



Please see customizable models marked with this banner



AIRNET

VELOUR

GEL COATED FIBERGLASS SHELL

HTE-R CARBON

HA0-0768-B01

FIA 8855-1999




MANUFACTURER: OMP
MODEL: HTE CARBON
HOM. NO: CS.146.05
FIA STANDARD: FIA 8855-1999

PROFESSIONAL RACING SEAT
Upholstering in high breathable Airnet material.

CARBON FIBER SHELL VERSION




HSC PATENT
COMPATIBLE



larger shoulder
harness slots




shaped safety
head rest




removable
cushions



shaped leg cushion



base and
shoulders upholstered
with anti-slip material



HANS® COMPATIBLE
CARBON FIBER SHELL

✓	AIRNET / VELOUR
5	HARNESS SLOTS
6.6	WEIGHT* (KG)
W	FIXING M8

HTE-R CARBON XL

HA0-0779-B01

Same characteristics as
HA0-0768-B01.

CARBON FIBER
SHELLXL VERSION

FIA 8855-1999




MANUFACTURER: OMP
MODEL: HTE CARBON XL
HOM. NO: CS.182.06
FIA STANDARD: FIA 8855-1999



HSC PATENT
COMPATIBLE

HANS® COMPATIBLE
CARBON FIBER SHELL


✓	AIRNET / VELOUR
5	HARNESS SLOTS
6.8	WEIGHT* (KG)
W	FIXING M8



HTE-R CARBON SIZES
COMPARISON

REGULAR
SIZE

XL SIZE
LARGER
AND HIGHER



HA0-0772-B01

FIA 8855-1999



MANUFACTURER: OMP
MODEL: HTE FIBERGLASS
HOM. NO: CS.184.06
FIA STANDARD: FIA 8855-1999

PROFESSIONAL RACING SEAT
Upholstering in high breathable Airnet material.




€ 850,00 (C)



HSC PATENT
COMPATIBLE

HANS® COMPATIBLE GEL
COATED FIBERGLASS SHELL


✓	AIRNET / VELOUR
5	HARNESS SLOTS
9.9	WEIGHT* (KG)
W	FIXING M8



larger shoulder
harness slots




shaped safety
head rest




removable
cushions



shaped leg cushion



base and
shoulders upholstered
with anti-slip material



HTE-R XL

HA0-0771-B01

Same characteristics
as HA0-0772-B01.

XL VERSION
LARGER AND HIGHER

FIA 8855-1999




MANUFACTURER: OMP
MODEL: HTE FIBERGLASS XL
HOM. NO: CS.230.09
FIA STANDARD: FIA 8855-1999



HSC PATENT
COMPATIBLE

HANS® COMPATIBLE GEL
COATED FIBERGLASS SHELL

✓	AIRNET MATERIAL
5	HARNESS SLOTS
11.5	WEIGHT* (KG)
W	FIXING M8



REGULAR
SIZE

HTE-R SIZES
COMPARISON

XL SIZE
LARGER
AND HIGHER



AIRNET

VELOUR

CARBON FIBER
SHELL

HA0-0780-B01

FIA 8855-1999




MANUFACTURER: OMP
MODEL: HTE 400
HOM. NO: CS.263.12
FIA STANDARD: FIA 8855-1999


PROFESSIONAL RACING SEAT

Upholstering in high breathable Airnet material.


SPECIAL VERSION FOR CARS WITH SMALL SPACE IN THE UPPER PART



larger shoulder harness slots




shaped safety head rest



removable cushions



shaped leg cushion



base and shoulders upholstered with anti-slip material



HSC PATENT COMPATIBLE




SPECIAL VERSION FOR CARS WITH SMALL SPACE IN THE UPPER PART

AIRNET



GEL COATED FIBERGLASS SHELL



HANS® COMPATIBLE GEL COATED FIBERGLASS SHELL

✓	AIRNET MATERIAL
5	HARNESS SLOTS
9.8	WEIGHT* (KG)
W	FIXING M8

SEE SEAT COMPARISON TABLE PAGE 67

HA0-0773-B01

FIA 8855-1999



MANUFACTURER: OMP
MODEL: WRC FIBERGLASS
HOM. NO: CS.183.06
FIA STANDARD: FIA 8855-1999

PROFESSIONAL RACING SEAT
Upholstering in high breathable Airnet material.




€ 810,00 (C)




HSC PATENT COMPATIBLE

HANS® COMPATIBLE GEL COATED FIBERGLASS SHELL


✓	AIRNET MATERIAL
5	HARNESS SLOTS
8.9	WEIGHT* (KG)
W	FIXING M8




larger shoulder harness slots




removable cushions



double leg cushion



shoulders and base upholstered with anti-slip material



SEE SEAT COMPARISON TABLE PAGE 67

WRC-R XL

HA0-0778-B01

Same characteristics as HA0-0773-B01.

XL VERSION
LARGER AND HIGHER

FIA 8855-1999




MANUFACTURER: OMP
MODEL: WRC FIBERGLASS WRE
HOM. NO: CS.025.01
FIA STANDARD: FIA 8855-1999



HSC PATENT COMPATIBLE

HANS® COMPATIBLE GEL COATED FIBERGLASS SHELL

✓	AIRNET / VELOUR
5	HARNESS SLOTS
10.9	WEIGHT* (KG)
W	FIXING M8



SEE SEAT COMPARISON TABLE PAGE 67

WRC-R SIZES COMPARISON

REGULAR SIZE

XL SIZE
LARGER AND HIGHER



AIRNET

GEL COATED FIBERGLASS SHELL




HA0-0774-B01

FIA 8855-1999



MANUFACTURER: OMP
MODEL: ARS
HOM. NO: CS.924.98
FIA STANDARD: FIA 8855-1999

PROFESSIONAL RACING SEAT
Upholstering in high breathable Airnet material.



larger shoulder
harness slots




HSC PATENT
COMPATIBLE



high protection



removable
cushions




shoulders and base
upholstered with
anti-slip material



AIRNET

GEL COATED
FIBERGLASS SHELL



HANS® COMPATIBLE GEL
COATED FIBERGLASS SHELL

✓	AIRNET MATERIAL
5	HARNESS SLOTS
9.9	WEIGHT* (KG)
W	FIXING M8

SEE SEAT COMPARISON TABLE PAGE 67




HA0-0762-B01

FIA 8855-1999



MANUFACTURER: OMP
MODEL: RS-PT
HOM. NO: CS.229.09
FIA STANDARD: FIA 8855-1999

RACING SEAT
Upholstering in velour.




larger shoulder
harness slots



HSC PATENT
COMPATIBLE



shaped safety
headrest



high side bolster




removable
cushions



UPHOLSTERED
ENTIRELY IN VELOUR


FIBERGLASS
SHELL



HANS® COMPATIBLE FIBERGLASS SHELL	
✓	VELOUR
5	HARNESS SLOTS
10.4	WEIGHT* (KG)
W	FIXING M8

SEE SEAT COMPARISON TABLE PAGE 67






HA0-0766-B01

FIA 8855-1999



MANUFACTURER: OMP
MODEL: CHAMP
HOM. NO: CS.826.97
FIA STANDARD: FIA 8855-1999


RACING SEAT
Upholstering in velour.




larger shoulder
harness slots



HSC PATENT
COMPATIBLE



shoulders and base
upholstered with
anti-slip material



removable
cushions




shaped leg cushion



UPHOLSTERED
ENTIRELY IN VELOUR

FIBERGLASS
SHELL



HANS® COMPATIBLE
FIBERGLASS SHELL

✓	VELOUR
5	HARNESS SLOTS
8.9	WEIGHT* (KG)
W	FIXING M8

SEE SEAT COMPARISON TABLE PAGE 67




HA0-0790-A01

FIA 8855-1999



MANUFACTURER: OMP
MODEL: FIRST-R
HOM. NO: CS.183.06
FIA STANDARD: FIA 8855-1999

ENTRY LEVEL SEAT
Made of fiberglass shell, large shoulder harness slots to accommodate various heights. Entirely upholstered. Excellent quality/price ratio.



larger shoulder harness slots




HSC PATENT COMPATIBLE



leg removable cushions



UPHOLSTERED
ENTIRELY IN VELOUR



HANS® COMPATIBLE
FIBERGLASS SHELL

✓	VELOUR
5	HARNESS SLOTS
9,4	WEIGHT* (KG)
W	FIXING M8

SEE SEAT COMPARISON TABLE PAGE 67




HA0-0803-B01

FIA 8855-1999




MANUFACTURER: OMP
MODEL: TRS-X
HOM. NO: CS.410.18
FIA STANDARD: FIA 8855-1999

RACING SEAT
Excellent quality/price ratio, large shoulder harness slots to accommodate various heights. Medium height side bolsters for lateral leg support and higher protection. Removable leg rests, upholstered entirely in velour. The optimized dimensions allows to mounting the seat also in cars with reduced inner room and the ergonomic is designed to guarantee the best individual seat comfort and an high lateral support. HANS® compatible. Exclusive design thanks to modern shape and highlighted details.




1 larger shoulder harness slots



2 medium side bolster



3 removable leg cushions




4 anti-slip inserts on shoulders and hips



UPHOLSTERED
ENTIRELY IN VELOUR

TUBULAR STEEL
FRAME



HANS® COMPATIBLE
FIBERGLASS SHELL

✓	VELOUR
5	HARNESS SLOTS
10.8	WEIGHT* (KG)
W Y	FIXING M8

SEE SEAT COMPARISON TABLE PAGE 67



HA0-0741-B01

FIA 8855-1999
APPROVED
MANUFACTURER: OMP
MODEL: T-RS
HOM. NO: CS.243.10
FIA STANDARD: FIA 8855-1999

RACING SEAT
Entirely upholstered in jacquard velour.
Excellent quality/price ratio.



HA0-0741-B01-041
blue




HA0-0741-B01-061
red



HA0-0741-B01-071
black

HANS® COMPATIBLE
TUBULAR STEEL FRAME

✓	VELOUR
5	HARNESS SLOTS
10.3	WEIGHT* (KG)
W	FIXING M8



TRS-E SKY

HA0-0760-B01


VINYL RACING SEAT
Entirely upholstering in decorated vinyl. Excellent quality/price ratio.

ONE COLOUR
SKY VERSION
upholstered in black vinyl.

FIA 8855-1999
APPROVED
MANUFACTURER: OMP
MODEL: T-RS
HOM. NO: CS.243.10
FIA STANDARD: FIA 8855-1999



HANS® COMPATIBLE FIBERGLASS SHELL	
✓	VINYL
5	HARNESS SLOTS
10.8	WEIGHT* (KG)
W Y	FIXING M8



TRS-E XL

HA0-0781-B011


Same characteristics
as HA0-0741-B01
(only W side fixing
points).

LARGE SIZE
APPROVED

FIA 8855-1999
APPROVED
MANUFACTURER: OMP
MODEL: TRS XL
HOM. NO: CS.271.12
FIA STANDARD: FIA 8855-1999



HANS® COMPATIBLE FIBERGLASS SHELL	
✓	VINYL
5	HARNESS SLOTS
12.3	WEIGHT* (KG)
W Y	FIXING M8



NEW

RT

HA0-0832-A01

FIA 8855-1999



MANUFACTURER: OMP
MODEL: CW00092
HOM. NO: CS.501.22
FIA STANDARD: FIA 8855-1999



Bucket racing seat in fiberglass FIA 8855-1999 homologated. The ergonomic shape and the removable soft padded inserts upholstered in fine material make the seat comfortable in every condition, from tuning to racing. Innovative shoulder harness slots design, wide leg cushion to improve driving comfort and lower side to facilitate the cockpit access.



new shoulder harness slots




head, back, lateral and base removable cushion

ALCANTARA



GEL COATED FIBERGLASS SHELL

HANS® COMPATIBLE FIBERGLASS SHELL	
✓	ALCANTARA/LEATHER
5	HARNESS SLOTS
10	WEIGHT* (KG)
W	FIXING M8



SEE SEAT COMPARISON TABLE PAGE 67

NEW

RT - CARBON

HA0-0831-A01

FIA 8855-1999



MANUFACTURER: OMP
MODEL: CW00093
HOM. NO: CS.505.22
FIA STANDARD: FIA 8855-1999



Bucket racing seat in carbon fiber FIA 8855-1999 homologated. The ergonomic shape and the removable soft padded inserts upholstered in fine material make the seat comfortable in every condition, from tuning to racing. Innovative shoulder harness slots design, wide leg cushion to improve driving comfort and lower side to facilitate the cockpit access.

LEATHER



CARBON FIBER SHELL



HANS® COMPATIBLE FIBERGLASS SHELL	
✓	ALCANTARA/LEATHER
5	HARNESS SLOTS
9.5	WEIGHT* (KG)
W	FIXING M8

HA0-0831-A02

Same features as HA0-0831-A01. Upholstering in leather with Alcantara fabric padding.

FIA 8855-1999



MANUFACTURER: OMP
MODEL: CW00093
HOM. NO: CS.505.22
FIA STANDARD: FIA 8855-1999



ALCANTARA



CARBON FIBER SHELL



HANS® COMPATIBLE FIBERGLASS SHELL	
✓	ALCANTARA
5	HARNESS SLOTS
9.5	WEIGHT* (KG)
W	FIXING M8


RACING SEAT TABLE

The following measurements are given as a guide. Actual measurements may vary to accomodate production.
Seat fitting type: according to FIA regulations the seat must be fixed to the brackets by means of at least four bolts M8 class 8.8. The diagram shows the distances between the fixing points in mm.

LEGEND

- A external max width at shoulders
- B seat bottom to mid shoulders
- C seat bottom max external width
- D total height of seat back
- E external max width at seat fixing inserts
- F seat inner width (belt holes area)
- G bottom length
- H internal width between side head protections
- I external width between side head protections
- L height from the bottom to the harness slot
- W = side fixing Y = bottom fixing

***note**
For **FIA 8855-1999** seats, the weight refers to the complete seat (tolerance of 10%).
For **FIA 8862-2009 /FIA 8855-2021** seats, the weight refers to the shell (tolerance of 10%).



Bottom fixing points of the sliding guide.
TYPE W: inner side int. 289 mm **TYPE Y:** bottom 345x270 mm

FIA 8862-2009 CARBON FIBER SHELL

				A	B	C	D	E	F	G	H	I	L	SLOTS	KG* FIXING	
HTE-ONE ULTRA LITE HA0-0829-A01		3D FABRIC	SPLIT LEG CUSHIONS	590	610	445	880	395	360	490	350	475	610	5	5	W
HTE-ONE LITE HA0-0807-A01		3D FABRIC	SPLIT LEG CUSHIONS	590	610	445	880	395	360	490	350	475	610	5	8	W
HTE-ONE E 2 HA0-0825		3D FABRIC	SPLIT LEG CUSHIONS	600	620	480	900	385	360	460	340	500	660	5	9.9	W
HTE-ONE XL HA0-0798-A01		3D FABRIC	SPLIT LEG CUSHIONS	660	670	480	990	395	350	480	300	500	740	5	10.1	W
HRC-ONE LITE HA0-0800-A01		3D FABRIC	SPLIT LEG CUSHIONS	595	610	440	880	395	360	490	350	500	615	5	6.8	W
HRC-ONE HA0-0789-A01		3D FABRIC	SPLIT LEG CUSHIONS	600	620	470	900	390	370	470	350	480	630	5	9.2	W
HRC-ONE LITE RC HA0-0805-A01		3D FABRIC	SPLIT LEG CUSHIONS	595	610	440	880	395	360	490	350	500	615	5	6.8	W
HTC-ONE HA0-0815-A01		3D FABRIC	SPLIT LEG CUSHIONS	595	620	500	910	465	390	460	320	475	640	5	9	W

FIA 8855-2021 CARBON AND FIBERGLASS SHELL

				A	B	C	D	E	F	G	H	I	L	SLOTS	KG* FIXING	
HTC-EVO CARB HA0-0900-A1		3D FABRIC	SHAPED LEG CUSHION	595	620	500	910	465	390	460	320	475	640	5	7.8	W
HTC-EVO HA0-0903-A01		3D FABRIC	SHAPED LEG CUSHION	595	620	500	910	465	390	460	320	475	640	5	12,5	W
HTE-EVO 2 CARB HA0-0902-A01		3D FABRIC	SHAPED LEG CUSHION	590	620	455	900	390	380	450	400	470	620	5	8.2	W
HTE-EVO 2 HA0-0901-A01		3D FABRIC	SHAPED LEG CUSHION	590	620	470	900	390	400	450	400	440	620	5	12.6	W
HTE-EVO 2 XL HA0-0904-A01		3D FABRIC	SHAPED LEG CUSHION	630	690	515	985	425	395	500	355	470	680	5		W
HTE-EVO 2 S HA0-0905-A01		3D FABRIC	SHAPED LEG CUSHION	580	610	460	875	390	365	480	310	425	590	5		W

FIA 8855-1999 CARBON FIBER SHELL

				A	B	C	D	E	F	G	H	I	L	SLOTS	KG* FIXING	
PROTOTIPO HA0-0745-A01		VELOUR	SPLIT LEG CUSHIONS	530	520	440	790	385	380	480	360	450	570	5	6.1	W
HTE-EVO CARB HA0-0817-A01		AIRNET VELOUR	/	590	620	450	900	390	350	450	400	440	620	5	6.5	W
HRC-R CARB AIR HA0-0786-A01		AIRNET	SPLIT LEG CUSHIONS	595	635	460	920	395	345	470	315	470	620	5	6.5	W
HRC-R CARB HA0-0788-A01		AIRNET	SPLIT LEG CUSHIONS	595	635	460	920	395	345	470	315	470	620	5	6.5	W
HTE-R CARB HA0-0768-B01		AIRNET	SHAPED LEG CUSHION	560	560	465	880	390	370	470	330	490	665	5	6.6	W
HTE-R CARB XL HA0-0779-B01		AIRNET	SHAPED LEG CUSHION	560	580	485	890	425	390	490	330	490	665	5	6.8	W
RT-CARB HA0-0831-A01		ALCANTARA/ LEATHER	/	570	565	415	850	415	375	520	/	/	630	5	9.5	w

FIA 8855-1999 FIBERGLASS SHELL

				A	B	C	D	E	F	G	H	I	L	SLOTS	KG* FIXING	
HTE-EVO HA0-0818-A01		AIRNET VELOUR	/	590	620	455	910	390	350	460	295	470	620	5	9.9	W
HRC-R HA0-0793-A01		AIRNET VELOUR	SPLIT LEG CUSHIONS	620	610	470	900	390	365	470	370	530	620	5	9.5	W
HRC-R XL HA0-0794-A01		AIRNET VELOUR	SPLIT LEG CUSHIONS	610	635	490	980	425	400	480	360	520	675	5	10.3	W
HTE-R HA0-0772-B01		AIRNET	SHAPED LEG CUSHION	560	570	515	880	420	390	490	315	480	665	5	9.9	W
HTE-R XL HA0-0771-B01		AIRNET	SHAPED LEG CUSHION	560	580	530	880	440	440	480	300	490	670	5	11.5	W
HTE-R 400 HA0-0780-B01		AIRNET	SHAPED LEG CUSHION	560	570	515	880	420	390	490	315	400	665	5	9.8	W
WRC-R HA0-0773-B01		AIRNET	SPLIT LEG CUSHIONS	620	600	510	890	410	390	480	/	/	645	5	8.9	W
WRC-R XL HA0-0778-B01		AIRNET	SPLIT LEG CUSHIONS	665	580	520	920	430	415	480	/	/	670	5	10.9	W
ARS-R HA0-0774-B01		AIRNET	/	590	600	500	910	420	370	490	/	/	615	5	9.9	W
RS-PT 2 HA0-0762-B01		VELOUR	/	565	560	510	880	420	395	480	340	510	675	5	10.4	W
CHAMP-R HA0-0766-B01		VELOUR	SHAPED LEG CUSHION	590	575	520	890	400	360	480	/	/	615	5	8.9	W
FIRST-R HA0-0790-A01		VELOUR	/	620	600	510	890	410	390	480	/	/	630	5	9.4	W
RT HA0-0832-A01		ALCANTARA/ LEATHER	/	570	565	415	850	415	375	520	/	/	630	5	10	W

FIA 8855-1999 TUBULAR STEEL FRAME

				A	B	C	D	E	F	G	H	I	L	SLOTS	KG* FIXING	
TRS-X HA0-803-B01		VELOUR	/	570	620	500	935	410	390	470	/	/	600	5	10.8	WY
TRS-E HA0-0741-B01		VELOUR	/	585	640	510	890	410	390	470	/	/	600	5	10.3	WY
TRS-E SKY HA0-0760-B01		VINYL	/	585	640	510	890	410	390	470	/	/	600	5	10.8	WY
TRS-E XL HA0-0781-B01		VELOUR	/	625	640	540	950	450	415	520	/	/	660	5	12.3	W

AIR COOLING KIT

HC0-0913-A01 HC/913

The kit includes:

- a shell to be mounted on the the back of the seat with included shaped bihadesive tape (HC/913/G)
- a connection hose (1,5" x 2mt) with inner metal spiral (HC/913/T) that can be fixed to the shell and to the blower HC/914 or to others air sources (inner intake of the car)
- a connection junction in rubber (HC/913/R)
- 45° connection junction in rubber (HC/913/R45)

All components are sold also separately as spare parts.



COOLING COMFORT
Air cooling kit to be mounted on predrilled seat shell (all OMP "Air" seats).
This system gives a new level of cooling comfort to the drivers specially during long races in very hot condition.

AIR COOLING KIT
to be mounted on predrilled seat shell HC/913

BACK CUSHION HB0-0703

Predrilled back cushion to allow the best cooling effect of OMP air cooling system HC/913. Airnet material.
2 SIZES:
M for HRC Fiberglass (HA/793)
XL for HRC Fiberglass XL (HA/794)



AIR BLOWER HC0-0914-A01

for Air Cooling Kit HC/913



**AIR SHELL DIFFUSER
HC0-0913-A02**

**HOSE
HC0-0913-A05
1,5" flexible hose**

**CONNECTION
HC0-0913-A04**

**CONNECTION
HC0-0913-A03**

RACING SEAT ACCESSORIES

SPARE COLORED HARNESS SHOULDER KIT HC0-0930

Kit of spare harness slots adaptable on most of OMP racing seat. Several colors available: black like the original ones, white, red, fluo green, fluo orange, fluo yellow.



SPARE COLORED HARNESS LATERAL KIT HC0-0931

Kit of spare harness slots adaptable on most of OMP racing seat. Several colors available: black like the original ones, white, red, fluo green, fluo orange, fluo yellow.



LATERAL PAIR CUSHIONS HB0-0701

For HRC seats. Sizes: S, M
Velour material.



LEG CUSHIONS HB0-0698

Shaped leg support cushions. Airnet material.



LEG CUSHIONS HB0-0700

2 pieces flat leg support cushions. Airnet material.



SEAT CUSHIONS HB0-0702

Thicker seat cushions for HRC seat. Antislip velvet.



SEAT CUSHIONS HB0-0692

A Back support cushion, small
Dimensions: 240x110mm

HB0-0662
B Lumbar support cushion, medium
Dimensions: 300x175mm

HB0-0695
C Seat cushion
Dimensions: 330x260mm

HB0-0693
D Leg support cushion
Dimensions: 330x220mm



HSC PATENT HC0-0893

Adjustable aluminium cover for 3 safety belt's positions setting. **PATENTED**



HEAD CUSHION HB0-0699

Velour material.



CLASSIC


'70S REVIVAL VINTAGE SEAT
Upholstered in faux leather and velvet.

TUBULAR STEEL FRAME
M8 LOWER FIXING
POINTS 345X270 MM Y

- 1**
adjustable velvet headrest
- 2**
raised backrest and velvet seat
- 3**
faux leather sides



HA0-0737-B01



BRAND SHATCH


VINTAGE '60S STYLE SEAT
Upholstered in faux leather and velvet.

TUBULAR STEEL FRAME
M8 LOWER FIXING
POINTS 345X270 MM Y

- 1**
adjustable velvet headrest
- 2**
raised backrest and velvet seat
- 3**
faux leather sides



HA0-0757-A01



SILVERSTONE


VINTAGE SEAT SPECIFIC FOR OPEN CARS
Upholstered in faux leather. Back with horizontal quilting.

TUBULAR STEEL FRAME
M8 LOWER FIXING
POINTS 345X270 MM Y

- 1**
faux leather seat



HA0-0756-A01



SPECIFIC BRACKETS

FIA 8862-2009
FIA 8855-2021

OMP can design, produce and homologate custom brackets upon request for any seat according to customer needs. Brackets can be developed for any FIA standard (Technical list. 40 and 91 and Art. 253).

SEAT BRACKETS FOR HTE ONE LITE

HC0-0934 FIA 8862-2009



SEAT BRACKETS

HC0-0880-A01 for HTE ONE
HC0-0880-A02 for HTE ONE S
FIA 8862-2009



SEAT BRACKETS FIA 8862-2009

HC0-0907 for HRC ONE (AS.033.14)
HC0-0929-A01 for HRC ONE LITE (AS.075.19)
HC0-0929-A02 for HRC ONE LITE RC (AS.083.19)



SEAT BRACKETS FIA 8855-2021

HC0-0951-A04 for HTE EVO 2 XL
HC0-0951-A05 for HTE EVO 2 S
HC0-0951-A01 for HTE EVO 2 CARBON (CS.016.23)
HC0-0951-A02 for HTE EVO (CS.017.23)
HC0-0951-A03 for HTC EVO (CS.015.23)

RALLY SEAT BRACKETS FOR HTE ONE E

HC0-0940 FIA 8862-2009



UPON REQUEST


SEAT BRACKETS FOR HTC ONE - HTE ONE 2

HC0-0935-A01 for HTC ONE
HC0-0935-A02 for HTE ONE E 2
FIA 8862-2009



SEAT BRACKETS FIA 8855-2021

HC0-0945
for HTC-EVO CARBON (S.009.21)




UNIVERSAL BRACKETS

SIDE MOUNT
BRACKET
DIMENSIONS

The dimensions
are in mm.

STAFFA	Lowest rear mounting hole "A"	Rear range "B"	Front range "C"	Lowest front mounting hole "D"	Type of bolt pattern	Length of mounting plate "E"	Width of mounting plate "F"	Longitudinal range "G"	Number of holes
HC0-0731-B01	110	34.5	93	70.5	B	350	45	75	4
HC0-0733-B01	109	17	94	70.5	A	350	52	25	3
HC0-0830	77	66	66	77	B	495	48.5	126	6
HC0-0830-B02	112	51	108	73.5	A	422.5	59	112.5	10
HC0-0922	85	81	81	85	B	400	52	75	4
HC0-0923	75,5	100	100	75,5	B	495	50	125	6
HC0-0924	85	81	81	85	B	400	52	75	4
HC0-0925	75,5	100	100	75,5	B	495	50	125	6



STEEL BRACKET

HC0-0922 FIA APPENDIX J ART. 253

Tall model. Steel.
Length: 400 mm
Thickness: 3 mm
Ultra strong material.



STEEL BRACKET

HC0-0731-B01 FIA APPENDIX J ART. 253

Tall model. Steel.
Length: 350 mm
Thickness: 3 mm
Ultra strong material.



STEEL BRACKET

HC0-0733-B01 FIA APPENDIX J ART. 253

Low model. Steel.
Length: 350 mm
Thickness: 3 mm
Ultra strong material.



STEEL BRACKET

HC0-0923 FIA APPENDIX J ART. 253


Tall model. Steel.
Length: 495 mm
Thickness: 3 mm
Ultra strong material.



ALUMINIUM BRACKET

HC0-0924 FIA APPENDIX J ART. 253


Tall model. Aluminium.
Length: 400 mm
Thickness: 6 mm
Ultra strong material.



STEEL BRACKET

HC0-0925 FIA APPENDIX J ART. 253

Tall model. Aluminium.
Length: 495 mm
Thickness: 6 mm
Ultra strong material.




STEEL BRACKET

HC0-0830 FIA APPENDIX J ART. 253

Tall model equipped with a damper. Aluminium.
Patented model. Length: 495 mm Thickness: 6 mm



DAMPING ELEMENT
to reduce vertical loads on the driver.
Suitable for off-road.



SEATS MOUNTING EXAMPLES


Seat with lower attachments points

- 1 Sliding brackets (HC/665)
- 2 Optional seat bracket spacer (HC/857 or HC/858)
- 3 Seat mounting bracket (vehicle specific)



Seat with side attachments points

- 1 Side mounting brackets (Racing)
- 2 Sliding brackets (HC/665)
- 3 Seat mounting bracket (vehicle specific)



BRACKETS AND ADAPTORS FOR LOWER FIXING HOLES

STEEL BRACKET

HC0-0665

Sliding rail kit to be mounted between the brackets and the seat. Steel. Not FIA approved.



STEEL BRACKET

HC0-0660

Pair of "L" shaped brackets to fit seats with lower attachment points (type Y) to side brackets. Steel. Thickness: 3 mm



UNIVERSAL SEAT SUBFRAME


HD0-0879

Weld-in universal seat subframe to be adapted to the shell of the vehicle. Two 35 mm squared pipes. Length: 600 mm

4 plates for direct welding to the body (80x60) thickness 3 mm).

4 plates for direct welding to the tube (60x40) thickness 3 mm)

4 buckles for welding M8.



ALUMINIUM UNIVERSAL BRACKET

HD0-0666

Universal couple of brackets for seat with lower attachments. Aluminium Not FIA approved.



SEAT BRACKET SPACER

HC0-0858

Seat bracket spacer to consent seat adjustment. Height: + 50 mm, + 62 mm and + 75 mm respect to the vehicle specific adaptor. Inclination: 2.5° or 5° seat angle adjustments.




SEAT BRACKET SPACER

HC0-0857

Seat bracket spacer allows the seat height to be adjusted, depending on which side is used for mounting. Not FIA homologated.


Height: + 25 mm or + 50 mm above the vehicle specific adaptor.



ADAPTORS FOR SEAT FIXING BRACKETS

HD0-.....


SEE THE APPLICATION LIST ON:



Sample image

Search Complete Application List, for the complete list of available items also on www.ompracing.com





The consolidated experience in racing world and the increasing collaboration with the most important drivers and teams leads to a wide range of safety harnesses suitable to meet the needs of all drivers for any type of cars.

ONE-D

The F1 World Championship winning safety harnesses: ultralightweight buckle and forged aluminium adjusters joined with comfortable and ultralightweight straps in Dyneema®, the world's strongest fiber™

ONE

Lightweight buckle, forged aluminium adjusters and polyester fabric straps guarantees high comfort and performance.

TECNICA

Lightweight buckle, adjusters in steel and aluminium, polyester fabric straps. Good choice to get great performance at reasonable price.

FIRST


Professional buckle and high quality steel adjusters, straps in polyester fabric. Best money-saving range of product without sacrificing quality and comfort.

SAFETY HARNESSSES

COAMPETITION HARNESS TECHNICAL FEATURES

COAMPETITION HARNESS TECHNICAL FEATURES

All safety harnesses can be customized upon request according to the customer needs



Ultra lightweight buckle with anti-unwitting opening system. FIA 8853/2016

A



Professional buckle. FIA 8853/2016

B



Professional ultra lightweight quick release adjuster made of high strength forged aluminum, designed to minimize the weight and slipping of the webbing, ergonomic and compact.

C




Professional ultra lightweight quick release adjuster made of high strength forged aluminum, designed to minimize the weight and slipping of the webbing, ergonomic and compact.

D



Professional ultra lightweight quick release adjuster made of high strength forged aluminum, designed to minimize the weight and slipping of the webbing, ergonomic and compact.

E



Exclusive double pin T-bar crotch attachment.

F



New lightweight quick release adjuster made of steel and high strength aluminum, ergonomic and compact.

G



Professional adjuster made of high strength steel.

H



Ultra lightweight Dyneema®, the world strongest fiber™ straps with comfortable webbings.

I



Lightweight polyester straps with comfortable webbings.

L



Lightweight steel snap hook.

M



Lightweight steel carabiner.

N






Plate attachment.

O



Snap hook attachment made of steel with high mechanical strength designed to improve performance and for optimum safety.

P




Webbing end sewn specifically for formula cars attach.

Q




Homologated for direct attachment to rollbars.

R




Buckle fixed to the crotch strap.

S



Buckle fixed to the crotch strap.

T



Runner for fixing intercom connectors.

U



Runner for use with rubber bands - specifically for GT cars.

V

DA0-0102-A03

ALSO AVAILABLE IN
MAGNESIUM-FREE
VERSION UPON REQUEST


DA0-0102-A02

DA0-0102-A04

50% LIGHTER
15% MORE RESISTANT




SALOON
PULL UP



SALOON PULL UP OR PULL DOWN

Ultralightweight and comfortable safety harness for saloon cars in **Dyneema®, the world strongest fiber™**. Forged aluminium ultralight adjusters, buckle in ergal machined from solid and magnesium. The harness ensures best safety level ever thanks to the ultra-resistant buckle with an anti-unwitting opening system and exclusive double pin T-bar crotch attachments. Adjust able setting of shoulder and lap straps with exclusive F1-inspired “double fold” system for a practical and strong hold.



6 POINTS FHR ONLY

MEASUREMENTS IN MM



SEE HARNESSES COMPARISON TABLE PAGE 111

DA0-0210-A01

SALOON PULL UP




SALOON PULL UP


Lightweight and comfortable safety harness for saloon cars in polyester fabric. Forged aluminium ultralight adjusters, buckle in ergal machined from solid. The harness ensures best safety level ever thanks to the ultra-resistant buckle with an anti-unwitting opening system and exclusive double pin T-bar crotch attachments. FHR only.



6 POINTS FHR ONLY




MEASUREMENTS IN MM



SEE HARNESSES COMPARISON TABLE PAGE 111

NEW

ONE 2" ENDURANCE



DA0-0211-A02

**SALOON
PULL DOWN**

NEW SMALLER T-BAR
ATTACHMENT




EXCLUSIVE NEW DOUBLE PIN
T-BAR CROTCH ATTACHMENT




SALOON PULL DOWN

Lightweight and comfortable safety harness for saloon cars in Dyneema and polyester fabric. Forged aluminium ultralight adjusters, quick buckle in ergal machined from solid. FHR only. Quick adjusters. Fluo reflective inserts for best visibilty, even at night.



6 POINTS FHR ONLY

MEASUREMENTS IN MM



SEE HARNESSSES COMPARISON TABLE PAGE 111

ONE 2 VERSA ENDURANCE

DA0-0202-A05

*SALOON
PULL DOWN*




DA0-0202-A05-061
red



DA0-0202-A05-071
black

SALOON PULL DOWN

Lightweight, comfortable and versatile safety harness for saloon cars in polyester fabric. Forged aluminium ultralight adjusters, buckle in ergal machined from solid and magnesium. The harness ensures best safety level ever thanks to the ultra-resistant buckle with an anti-unwitting opening system and exclusive double pin T-bar crotch attachments. With quick adjusters on crotch straps, ENDURANCE lap straps pull down. FHR only.



6 POINTS FHR ONLY

MEASUREMENTS IN MM



C ULTRALIGHT WEIGHT ADJUSTER




R HOMOLOGATED FOR ROLL BAR



P STEEL SNAP HOOK



A ULTRALIGHT BUCKLE



N SMALL SIZE CARABINER




U FIXING INTERCOM CONNECTORS



F EXCLUSIVE DOUBLE PIN T-BAR CROTH ATTACHMENT



E PROFESSIONAL LIGHTWEIGHT QUICK RELEASE ADJUSTER



T BUCKLE FIXED TO THE CROTH STRAP

SEE HARNESSSES COMPARISON TABLE PAGE 111

DA0-0202-A02


SALOON
PULL UP



DA0-0202-A02-071
black




DA0-0202-A02-061
red



SALOON
PULL DOWN

SUPERLIGHT PROFESSIONAL
SAFETY BELT SALOON PULL UP OR PULL DOWN

Lightweight and comfortable safety harness for saloon cars in polyester fabric. Forged aluminium ultralight adjusters, buckle in ergal machined from solid and magnesium. The Harness ensures best safety level ever thanks to the ultra-resistant buckle with an anti-unwitting opening system and exclusive double pin T-bar crotch attachments. FHR only.



6 POINTS FHR ONLY

MEASUREMENTS IN MM



C ULTRALIGHT
WEIGHT ADJUSTER



R HOMOLOGATED
FOR ROLL BAR



P STEEL SNAP HOOK



A ULTRALIGHT BUCKLE



N SMALL SIZE
CARABINER



U FIXING INTERCOM
CONNECTORS



F EXCLUSIVE DOUBLE PIN
T-BAR CROTH ATTACHMENT



L LIGHTWEIGHT
POLYESTER STRAPS



T BUCKLE FIXED TO THE
CROTH STRAP

SEE HARNESSSES COMPARISON TABLE PAGE 111

ONE 3+2 CONVERTIBLE



DA0-0205-A01

*SALOON
PULL UP*




DA0-0205-A01-061
red



DA0-0205-A01-071
black





SALOON PULL UP CONVERTIBLE IN PULL DOWN

Lightweight and comfortable safety harness for saloon cars in polyester fabric. Ultralightweight aluminium adjuster on shoulders, steel and high strength aluminium lightweight adjusters on lap, buckle in ergal machined from solid and magnesium. The harness ensures best safety level ever thanks to the ultra-resistant buckle with an anti-unwitting opening system and exclusive double pin T-bar crotch attachments.



6 POINTS FHR ONLY

MEASUREMENTS IN MM



SEE HARNESSES COMPARISON TABLE PAGE 111



DA0-0205-A02

*SALOON
PULL DOWN*




DA0-0205-A02-071
black



DA0-0205-A02-061
red

SALOON PULL DOWN ENDURANCE

Lightweight and comfortable safety harness for saloon cars in polyester fabric. Ultralightweight aluminium adjuster on shoulders, steel and high strenght aluminium lightweight endurance adjusters on lap, buckle in ergal machined from solid and magnesium. The harness ensures best safety level ever thanks to the ultra-resistant buckle with an anti-unwitting opening system and exclusive double pin T-bar crotch attachments.



6 POINTS FHR ONLY

MEASUREMENTS IN MM




E PROFESSIONAL LIGHTWEIGHT QUICK RELEASE ADJUSTER



R HOMOLOGATED FOR ROLL BAR



P STEEL SNAP HOOK




A ULTRALIGHT BUCKLE



D PROFESSIONAL ULTRA LIGHTWEIGHT QUICK RELEASE



U FIXING INTERCOM CONNECTORS



F EXCLUSIVE DOUBLE PIN T-BAR CROCH ATTACHMENT



L LIGHTWEIGHT POLYESTER STRAPS



T BUCKLE FIXED TO THE CROCH STRAP

SEE HARNESSES COMPARISON TABLE PAGE 111

DA0-0203-A01

*SALOON
PULL UP*




DA0-0203-A02-061
red



DA0-0203-A01-071
black

SALOON PULL UP

Lightweight and comfortable safety harness for saloon cars in polyester fabric. Steel and high strength aluminium lightweight adjusters, buckle in ergal machined from solid and magnesium. The harness ensures best safety level ever thanks to the ultra-resistant buckle with an anti-unwitting opening system and exclusive double pin T-bar crotch attachments.



6 POINTS FHR ONLY

MEASUREMENTS IN MM



G LIGHTWEIGHT QUICK RELEASE ADJUSTER



R HOMOLOGATED FOR ROLL BAR



P STEEL SNAP HOOK



A ULTRALIGHT BUCKLE



N SMALL SIZE CARABINER



U FIXING INTERCOM CONNECTORS



F EXCLUSIVE DOUBLE PIN T-BAR CROTH ATTACHMENT



L LIGHTWEIGHT POLYESTER STRAPS



T BUCKLE FIXED TO THE CROTH STRAP

SEE HARNESSES COMPARISON TABLE PAGE 111



DA0-0203-A02

*SALOON
PULL UP*




DA0-0203-A02-071
black



DA0-0203-A02-061
red





SALOON PULL UP

Lightweight and comfortable safety harness for saloon cars in polyester fabric. Steel and high strength aluminium lightweight adjusters, buckle in ergal machined from solid and magnesium. The harness ensures best safety level ever thanks to the ultra-resistant buckle with an anti-unwitting opening system and exclusive double pin T-bar crotch attachments.



6 POINTS FHR ONLY

MEASUREMENTS IN MM



SEE HARNESSES COMPARISON TABLE PAGE 111

DA0-0204-B01

*SALOON
PULL UP*




DA0-0204-B01-071
black

DA0-0204-B01-061
red

SALOON PULL UP ENTRY LEVEL 3"

Lightweight and comfortable safety harness for saloon cars in polyester fabric. Strong steel adjusters. Buckle in aluminium and steel with an improved quality/price ratio that ensures same quality at lower price.

FIA APPROVED
MANUFACTURER: OMP
MODEL: DA0204
HOM. NO: SH.036.17-T-6
FIA STANDARD: FIA 8853-2016



6 POINTS FHR ONLY

MEASUREMENTS IN MM

H PROFESSIONAL STEEL ADJUSTER

R HOMOLOGATED FOR ROLL BAR

P STEEL SNAP HOOK

B PROFESSIONAL BUCKLE

T BUCKLE FIXED TO THE CROTCH STRAP

L LIGHTWEIGHT POLYESTER STRAPS

SEE HARNESSES COMPARISON TABLE PAGE 111

DA0-0204-B02

*SALOON
PULL UP*




- DA0-0204-B02-041 blue
- DA0-0204-B02-178 black/yellow
- DA0-0204-B02-061 red

DA0-0204-B02-071 black

SALOON PULL UP

Lightweight and comfortable entry level safety harness in polyester fabric for saloon cars. Steel adjusters on lap, steel and aluminium adjusters on shoulder, buckle in aluminium and steel with an improved quality/price ratio that ensures same quality at lower price.



6 POINTS FHR ONLY

MEASUREMENTS IN MM



H PROFESSIONAL STEEL ADJUSTER




R HOMOLOGATED FOR ROLL BAR



P STEEL SNAP HOOK



B PROFESSIONAL BUCKLE



T BUCKLE FIXED TO THE CROTCH STRAP



L LIGHTWEIGHT POLYESTER STRAPS

SEE HARNESSES COMPARISON TABLE PAGE 111

DA0-0208-A01

*SALOON
PULL UP*



DA0-0208-A01-061
red




DA0-0208-A01-071
black

SALOON PULL UP ENTRY LEVEL 2"

Lightweight and comfortable safety harness for saloon cars in polyester fabric. Strong steel adjusters. Buckle in aluminium and steel with an improved quality/price ratio that ensures same quality at lower price.

FIA APPROVED
MANUFACTURER: OMP
MODEL: DA0208
HOM. NO: SH.068.19-T-6
FIA STANDARD: FIA 8853-2016



6 POINTS FHR ONLY

MEASUREMENTS IN MM

H PROFESSIONAL STEEL ADJUSTER

T BUCKLE FIXED TO THE CROTCH STRAP

P STEEL SNAP HOOK

B PROFESSIONAL BUCKLE

L LIGHTWEIGHT POLYESTER STRAPS

SEE HARNESSES COMPARISON TABLE PAGE 111



DA0-0801-B01

*SALOON
PULL UP*




DA0-0801-B01-071
black



DA0-0801-B01-061
red



PULL UP PROFESSIONAL BELT

4 point safety harnesses for saloon cars, 3" straps.
Ultralightweight adjuster, homologated for rollbar, steel snap hook,
lap strap buckle fixed.



6 POINTS FHR ONLY

MEASUREMENTS IN MM



SEE HARNESSES COMPARISON TABLE PAGE 111



DA0-0102-A05

FORMULA




50% LIGHTER
15% MORE RESISTANT



FORMULA BELT

Ultralightweight and comfortable safety harness for prototype cars in Dyneema®, the world's strongest fiber™. Forged aluminium ultralight adjusters, buckle in ergal machined from solid and magnesium. The harness ensures best safety level ever thanks to the ultra resistant buckle with an antiunwitting opening system and exclusive double pin T-bar crotch attachments. Adjustable setting of shoulder and lap straps with exclusive F1-inspired "double fold" system for a practical and strong hold.



6 POINTS FHR ONLY

MEASUREMENTS IN MM



I ULTRALIGHT DYNEEMA



C PROFESSIONAL ULTRA LIGHTWEIGHT ADJUSTER



Q WEBBING END SEWN FOR FORMULA CARS ATTACH



A ULTRALIGHT BUCKLE



O PLATE ATTACHMENT



T BUCKLE FIXED TO THE CROTCH STRAP



F EXCLUSIVE DOUBLE PIN T-BAR CROTCH ATTACHMENT

SEE HARNESSES COMPARISON TABLE PAGE 111

DA0-0104-A01

FORMULA
PULL UP




50% LIGHTER
15% MORE RESISTANT



FORMULA BELT

Ultralightweight and comfortable safety harness for prototype cars in Dyneema®, the world's strongest fiber™. Forged aluminium ultralight adjusters, buckle in ergal machined from solid and magnesium. The harness ensures best safety level ever thanks to the ultra-resistant buckle with an antiunwitting opening system and exclusive double pin T-bar crotch attachments. Adjustable setting of shoulder and lap straps with exclusive F1-inspired "double fold" system for a practical and strong hold.



6 POINTS FHR ONLY

MEASUREMENTS IN MM




SEE HARNESSES COMPARISON TABLE PAGE 111



DA0-0206-A01

ALSO AVAILABLE WITH
PLATE ATTACHMENTS
(DA0-0206-A02-061 RED)
(DA0-0206-A02-071 BLACK)

DA0-0206-A02




DA0-0206-A01-071
black



DA0-0206-A01-061
red


SUPERLIGHT PROFESSIONAL BELT
Lightweight and comfortable safety harness for formula cars in polyester fabric. Forged aluminium ultralight adjusters, buckle in ergal machined from solid and magnesium. The harness ensures best safety level ever thanks to the ultra-resistant buckle.

FORMULA
PULL UP



6 POINTS FHR ONLY

MEASUREMENTS IN MM




SEE HARNESSES COMPARISON TABLE PAGE 111

RACING HARNESSSES TABLE

LEGEND

- A maximum length upper shoulder strap
- B maximum length lower shoulder strap
- C maximum length lap strap
- D fixed lap strap
- E maximum length crotch strap
- F maximum length upper crotch strap

MEASURE IN MM



FIA 8853-2016 SALOON

	MATERIAL	POINTS	ADJUSTER	PULL	FHR	SHOULDER BELT STRAP	LAP BELT STRAP	CROTCH BELT STRAP	A	B	C	D	E	F
ONE-D PULL UP DAO-0102-A03 ONE-D PULL DOWN DAO-0102-A01	DYNEEMA	6	ULTRA LIGHT	UP or DOWN	ONLY	2" ROLLBAR ATTACH.	2" CARABINER ATTACH.	2" SNAP HOOK ATTACH.	1650	390	750	125	800	/
ONE 2" WRC DAO-0210-A01	POLYESTER	6	ULTRA LIGHT	UP	ONLY	2" ROLLBAR ATTACH.	2" SEWN CARABINER	2" ROLLBAR ATTACH.	1500	490	800	125	650	/
ONE 2" ENDUR. DAO-0211-A02	DYNEEMA POLYESTER	6	ULTRA LIGHT	DOWN	ONLY	2" SWN WEBB ATTACH.	2" PLATE ATTACH.	2" PLATE ATTACH.	425	450	600	/	800	/
ONE 2 VERSA END. DAO-0202-A05	POLYESTER	6	ULTRA LIGHT	DOWN	ONLY	2" ROLLBAR ATTACH.	2" CARABINER ATTACH.	2" SNAP HOOK ATTACH.	1650	500	700	/	950	450
ONE 2 PULL UP DAO-0202-A02 ONE 2 PULL DOWN DAO-0202-A01	POLYESTER	6	ULTRA LIGHT	UP or DOWN	ONLY	2" ROLLBAR ATTACH.	2" CARABINER ATTACH.	2" CARABINER ATTACH.	1650	500	750	125	850	/
ONE 3+2 CONV. DAO-0205-A01	POLYESTER	6	ULTRA LIGHT	UP or DOWN	ONLY	2" 3" ROLLBAR / SNAP HOOK ATTACH.	2" SNAP HOOK ATTACH.	2" SNAP HOOK ATTACH.	1650	390	750	140	700	/
ONE 3+2 ENDUR. DAO-0205-A02	POLYESTER	6	ULTRA LIGHT	DOWN	ONLY	2" ROLLBAR ATTACH.	2" SNAP HOOK ATTACH.	2" SNAP HOOK ATTACH.	1650	390	750	/	700	/
TECNICA 3 DAO-0203-A01	POLYESTER	6	LIGHT	UP	FRIENDLY	3" ROLLBAR ATTACH.	3" CARABINER ATTACH.	2" SNAP HOOK ATTACH.	1650	390	750	140	700	/
TECNICA 3+2 DAO-0203-A02	POLYESTER	6	LIGHT	UP	ONLY	2" 3" ROLLBAR ATTACH.	3" CARABINER ATTACH.	2" SNAP HOOK ATTACH.	1650	390	750	140	700	/
FIRST 3 DAO-0204-B01	POLYESTER	6	PROF.	UP	FRIENDLY	3" ROLLBAR / SNAP HOOK ATTACH.	3" SNAP HOOK ATTACH.	2" SNAP HOOK ATTACH.	1650	390	750	140	700	
FIRST 3+2 DAO-0204-B02	POLYESTER	6	PROF.	UP	ONLY	2" 3" ROLLBAR / SNAP HOOK ATTACH.	3" SNAP HOOK ATTACH.	2" SNAP HOOK ATTACH.	1650	390	750	140	700	/
FIRST 2 DAO-0208-A01	POLYESTER	6	ULTRA LIGHT	DOWN	ONLY	2" SNAP HOOK ATTACH.	2" SNAP HOOK ATTACH.	2" SNAP HOOK ATTACH.	1650	390	750	140	700	/
FIRST 3 4P DAO-0801-B01	POLYESTER	6	PROF.	UP	FRIENDLY	3" ROLLBAR / SNAP HOOK ATTACH.	3" SNAP HOOK ATTACH.	/ /	1550	305	760	140	/	/

FIA 8853-2016 FORMULA

	MATERIAL	POINTS	ADJUSTER	PULL	FHR	SHOULDER BELT STRAP	LAP BELT STRAP	CROTCH BELT STRAP	A	B	C	D	E	F
ONE-D 2 PROT. DAO-0102-A05	DYNEEMA	6	ULTRA LIGHT	UP	ONLY	2" SEWN WEBB ATTACH.	2" PLATE ATTACH.	2" PLATE ATTACH.	400	390	725	125	800	/
ONE-D 2 FORM. DAO-0104-A01	DYNEEMA	6	ULTRA LIGHT	/	ONLY	2" SEWN WEBB ATTACH.	2" PLATE ATTACH.	2" PLATE ATTACH.	305	420	650	/	750	/
TECNICA 2 FORM. DAO-0206-A01 TECNICA 2 FORM. DAO-0206-A02	POLYESTER	6	ULTRA LIGHT	UP	ONLY	2" PLATE / WEB END SEWN ATTACH.	2" PLATE ATTACH.	2" PLATE ATTACH.	320	550	725	/	750	/



RACING 4M

SAFETY
HARNESSES

DAO-0508-A01

ECE HOMOLOGATION
4 POINTS



DAO-0508-A01-041
blue



DAO-0508-A01-071
black

Snap hook attachment.
Adjusters: steel.
Push button release: central.
Supplied with 7/16" eye bolts.

Shoulder straps: 3"
Lap straps: 2"



ROAD 4M

DA0-0507-A01


Snap hook attachment.
Adjusters: steel.
Push button release: central.
Supplied with 7/16" bolts.

Shoulder straps: 2"
Lap straps: 2"



DA0-0507-A01-071
black

ECE HOMOLOGATION
4 POINTS



DA0-0507-A01-061
red



DA0-0507-A01-041
blue

ROAD 4

DA0-0505-A01


Bolt-in attachment.
Adjusters: steel.
Push button release: central.
Supplied with 7/16" bolts.

Shoulder straps: 2"
Lap straps: 2"



DA0-0505-A01-071
black

ECE HOMOLOGATION
4 POINTS



DA0-0505-A01-061
red



DA0-0505-A01-041
blue

ROAD 3

DA0-0504-A01

Bolt-in attachment.
Adjusters: steel.
Push button release: central.
Supplied with 7/16" bolts.

Shoulder straps: 3"
Lap straps: 2"



DA0-0504-A01-061
red

ECE HOMOLOGATION
3 POINTS



DA0-0504-A01-071
black



DA0-0507-A01-041
blue

STRADA 3

DA0-0509-A01

Bolt-in attachment.
Adjusters: steel.
Push button release: central.
Supplied with 7/16" eye bolts.

Shoulder straps: 3"
Lap straps: 2"



DA0-0505-A01-071
black

ECE HOMOLOGATION
4 POINTS



DA0-0504-A01-071
black

SAFETY BELT ACCESSORIES

HANS STRAP BOLDER

SC0-0020


Hands strap bolder in rubber (pair), with sticker



SEAT BELT PLATE

DB0-0418-A01

Seat belt plate with threaded 7/16" nut.
DIMENSIONS: 50x80x3 mm
FIA APPENDIX J art. 253



EYEBOLT

DB0-0420-A01

7/16" eyebolt to attach harness snap-hook fittings.

A: 57 mm / B: 15.5 mm / C: 20 mm
D: 7/16" UNF / L: 22 mm / S: 8 mm




PLATE FOR EYEBOLTS

DB0-0421-A01

Reinforced threaded plate for eyebolts.


DIMENSIONS: 50x25x6 mm



CUTTER

DB0-0459

Safety seat belt cutter.



CUTTER

DB0-0461

Safety seat belt cutter.



PROFESSIONAL CUTTER

DB0-0460-B01

Professional safety belt cutter with hammer, ight, emergency lamp and magnet.



SEAT BELT PADS



DB0-0455

Pair of harness pads in fire retardant Nomex to be used with 2" seat belts. Zipper quick closure, antislip silicon rubber inserts in shoulders contact area. Compatible with Hybrid® safety device.



SEAT BELT PADS



DB0-0450-A01

Yellow OMP logo. In velour, use with 2" seat belts. Clousure: velcro.



DB0-0450-A01-061
red



DB0-0450-A01-041
blue



DB0-0450-A01-071
black

SEAT BELT PADS



DB0-0450-A02

Yellow OMP logo. In velour, use with 3" seat belts. Clousure: velcro.



DB0-0450-A02-061
red



DB0-0450-A02-041
blue



DB0-0450-A02-071
black






ROLLBARS

FE 45 BOLT-IN

AB0-0100-...



FE45 steel bolt-in rollbars with Ø 40x2 & 50x2 tubing, connecting sleeve tubes and reinforced brace in the main hoop. Supplied with door bars and diagonal reinforcement at rear.

The photos associated to the first part of the part number of the rollbars are for illustrative purposes only. Please refer to our application list on www.ompracing.com to verify the real structure of the rollbars.

FE 45 BOLT-IN

AA0-104P-...




FE45 steel bolt-in rollbars with door bars to be cut to measure and welded upon installation.

The photos associated to the first part of the part number of the rollbars are for illustrative purposes only. Please refer to our application list on www.ompracing.com to verify the real structure of the rollbars.

MULTI-POINT WELD-IN

AB0-0106-...A AB0-0106-...AW




AB/106/...A supplied partially assembled.
AB/106/...AW supplied not assembled.
Multi-point weld-in chromoly (25CrMo4) rollbars. Reduced weight and improved rigidity compared with steel bolt-in rollbars. Supplied partially assembled to facilitate and reduce installation cost.

The photos associated to the first part of the part number of the rollbars are for illustrative purposes only. Please refer to our application list on www.ompracing.com to verify the real structure of the rollbars.

MULTI-POINT WELD-IN

AB0-0106-...B



Multi-point bolt-in chromoly (25CrMo4) rollbars. Reduced weight and improved torsional rigidity.

The photos associated to the first part of the part number of the rollbars are for illustrative purposes only. Please refer to our application list on www.ompracing.com to verify the real structure of the rollbars.

FE 45 BOLT-IN

AB0-105P-...



FE45 steel multi-point bolt-in rollbars with Ø 40x2 & 50x2 tubing, connecting sleeve tubes and door bars. To be cut to measure and welded upon installation.

The photos associated to the first part of the part number of the rollbars are for illustrative purposes only. Please refer to our application list on www.ompracing.com to verify the real structure of the rollbars.

FE 45 WELD-IN

AB0-0105-...A




FE45 steel weld-in rollbars with Ø 50x2 tubing on the main hoop and Ø 40x2 tubing elsewhere. It may be necessary to remove or cut interior panels to facilitate installation.

The photos associated to the first part of the part number of the rollbars are for illustrative purposes only. Please refer to our application list on www.ompracing.com to verify the real structure of the rollbars.

OFF ROAD BOLT-IN

R/...




FE45 steel multi-point bolt-in rollbars with Ø 40x2 & 50x2 tubing, connecting sleeve tubes and door bars. To be cut to measure and welded upon installation.

The photos associated to the first part of the part number of the rollbars are for illustrative purposes only. Please refer to our application list on www.ompracing.com to verify the real structure of the rollbars.

REPLACEMENT HOOD

AA0-0103... AB0-0107... AA0-0102... AB0-0108...



FE45 steel weld-in rollbars with Ø 50x2 tubing on the main hoop and Ø 40x2 tubing elsewhere. It may be necessary to remove or cut interior panels to facilitate installation.

The photos associated to the first part of the part number of the rollbars are for illustrative purposes only. Please refer to our application list on www.ompracing.com to verify the real structure of the rollbars.

ROLLBARS NOT DISTRIBUTED IN THE US

ROLLBARS NOT DISTRIBUTED IN THE US

RACING ROLLBARS PARTS AND ACCESSORIES

RUBBER SLEEVING

AA0-0113 FIA-J ALL

Foamed rubber sleeving for rollbar sold in pieces of 2 m.

AA0-0113-C01
Ø 40mm

AA0-0113-D01
Ø 50mm



CONNECTING TUBE

AA0-0195

Sleeve connecting tube in FE 45 steel. for tubing Ø 40 mm

FIA-J ALL



REINFORCEMENT

AA0-0200

Reinforce rollbar crosses. **Thickness:** 1,5 mm **Gusset:** 80°

FIA-J ALL
DIS 253-24




REINFORCEMENT

AA0-0123

Reinforcement to be used with connections AA/122 and AA/122-50.

FIA-J ALL



REINFORCEMENT

AA0-0201

Reinforce rollbar crosses. **Thickness:** 1,5 mm **Gusset:** 100°

FIA-J ALL
DIS 253-24



CONNECTION FIA-J ALL

AA0-0122

Connection for rollbar, complete with hardware.

AA0-0122-A01
with tube Ø 40 mm


AA0-0122-B01
with tube Ø 50 mm



CONNECTING TUBE

AA0-0108

Pair of door bars FE 45 steel, to be welded (no picture).
Length: 1.20 m - **Thickness:** 2 mm - Ø 40 mm



ENERGY ABSORBING


AA0-0116 TYPE A

Rollbar padding
Molded energy absorbing rollbar padding suitable.
Length: 490mm.
For tube Ø 30/40 mm



APPROVED

MANUFACTURER: OMP
MODEL: AA116A
HOM. NO: CP.009.18.A
FIA STANDARD: FIA 8857-2001



34 mm


52 mm

Personalized protection kit service based on customers' drawing.

PLATE FIA-J ALL

AA0-0175-C01


Flat plate lower reinforcement for standard rollbars. **Dimensions:** 100x120x3 mm



CONNECTING TUBE

AA0-0109

Pair of door bars FE 45 steel, complete with connections.
Length: 1.25 m - **Thickness:** 2 mm 40 mm



ENERGY ABSORBING

AA0-0115 TYPE A

Molded energy absorbing rollbar padding suitable for both.
Length: 490 mm
For tube Ø 40/50 mm



APPROVED

MANUFACTURER: OMP
MODEL: AA115A
HOM. NO: CP.007.06.A
FIA STANDARD: FIA 8857-2001



29 mm

66 mm

Personalized protection kit service based on customers' drawing.

RACING ROLLBARS PARTS AND ACCESSORIES

REINFORCEMENT

AA0-0111-A01

Pair assembled cross door reinforcement, connections included.




REINFORCEMENT

AA0-0204

Pair of door reinforcements in FE45. Supplied with connecting sleeves. Nuts and bolts included. **Length:** 1.25 m Ø 40x2 mm


FIA-J ALL



COVERS 50 cm

AA0-0113-B01


Pair of door bar covers in velour material (same as competition seats) to cover rubber sleeving.



COVERS 100 cm

AA0-0113-A01


Pair of door bar covers in velour material (same as competition seats) to cover rubber sleeving.



REINFORCEMENT

AA0-0111-B01

Pair not assembled cross door reinforcement, connections included. Ø 40x2 mm



REINFORCEMENT

AA0-0175-A01

Universal "L" shaped reinforcement plate. Adjustable and suitable for any standard steel rollbar.
Thickness: 3 mm


FIA-J ALL



REINFORCEMENT

AA0-0111-C01
FIA-J ALL

Pair not assembled cross door reinforcement, connections included. Ø 40x2 mm




REINFORCEMENT


AA0-0203

Kit (2+2) of perforated plates for rollbar fixing in.

FIA-J ALL



Front



Rear

REINFORCEMENT

AA0-0202


Pair assembled cross door reinforcement, connections included. Ø 40x2 mm

FIA-J ALL




Bottle dimensions:
The dimensions of A, B, C are in mm.
*Total weight including: bottle, valve,
dip tube, liquid, brackets.

BOTTLE WITH
VALVE LOCATED
ON THE CYLINDER
BODY



BOTTLE WITH
VALVE LOCATED
ON THE END OF THE
CYLINDER BODY



Ref.	Extinguishant	Empty (kg)	Total weight*	A	B	C
PLATINUM COLLECTION						
CEFAL3/B	0.9 lt ecolife	0.4	1.8	194	235	100
CESAL3/B	1.3 lt ecolife	0.7	2.5	204	246	130
CESAL3R/B	2.8 lt ecolife	0.94	4.3	245	286	160


WHITE COLLECTION						
CEFAL2/B	2.8 lt ecolife	0.94	4.3	245	286	160
CESAL2/B	4.25 lt ecolife	1.3	6.2	315	210	160

BLACK COLLECTION						
CMSST1/B	4.25 lt ecolife	2.4	8.1	330	420	160
CMFST1/B	2.8 lt ecolife	1.97	5.6	295	385	130
CESST1/B	4.25 lt ecolife	2.4	7.7	330	385	160

ONE COLLECTION FIA 8865-2015						
CESAL4XS	0.75 kg Novec™ 1230 0.9 lt AFFF		5.4 kg	258	149	114,5
CESAL4S	1.5 kg Novec™ 1230 1.5 lt AFFF		5.4 kg	275	166	134
CESAL4L	2.7 kg Novec™ 1230 0,9 lt AFFF		5.4 kg	287	166	134
CEFAL4	2 kg Novec™ 1230	1.2	3.2 kg	226	275	110

TECNICA COLLECTION FIA 8865-2015						
CESAL5S	1.7 kg Novec™ 1230 1.2 lt AFFF		6 kg	309	200	160
CESAL5L	2.7 kg Novec™ 1230 1.2 lt AFFF		6 kg	350	200	160
CESAL5SE	3.4 kg Novec™ 1230		6.5 kg	309	200	160
CESAL5LE	4.4 kg Novec™ 1230		6.5 kg	350	200	160

OMP SPORT						
CA/372/B	4.25 lt ecolife	2.4	8.1	330	420	160
HAND HELD						
CAB/322	4 Kg powder	2.5	6.5	310	405	160
CAB/319	2.4 Kg ecolife	2.25	5.0	295	390	132
CAB/316	2 Kg powder	0.7	3.1	227	330	108
CBB/351	2.4 Kg ecolife	1.15	4.0	300	390	130
CAB/323	2 lt Novec	1.15	3.15	285	355	110



EXTINGUISHERS

NEW

CEFAL4

CEO-FAL4-A01



ON REQUEST

FORMULA

Ø 110 mm

SUITABLE FOR ELECTRIC
AND HYBRID CARS

Homologated for use on:
Petrol - class I
Petrol + up to 30% ethanol
or methanol (E30) - class II
Petrol + up to 85% ethanol
or methanol (E85) - class V



This fire extinguisher system is homologated FIA 8876-2022, the last and innovative FIA standard for plumbed in-fire suppression system for open cockpit cars. The bottle is made in aluminum with an innovative save spacing solution. The system covers a wide range of fuels (from petrol till E85 CLASS I II and V (E85)) and it is suitable for electric and hybrid cars also. The extinguishing medium when released, is non-corrosive and not electrically conductive. In contrast to foam or powder, it does not leave any damaging residues, so the systems do not have to be cleaned and remain up and running after the release of the fluid. The system gets pressurized when activated, enabling the discharge of the extinguishant. The electrical system is waterproof and ready to be installed and the ECU is IP65 and IP67 certified. Fixing brackets, clamps, piping, and connections are included.



WIRING

NOZZLES
4x

PUSH BUTTON
1x

STICKERS
2x

90° CONNECTIONS
4 Ø8

Y CONNECTIONS
1x

HOSE
10m

8M AL TUBING Ø8

CONTROL BOX
1x

3 WAY CONNECTIONS
2 Ø8


LIGHTWEIGHT
ALUMINIUM

WATER PROOF ELETRIC
SYSTEM



ONE COLLECTION FIA 8876-2022 - CEFAL4

Ref.	Extinguishant	Empty (kg)	Total weight*
CEO-FAL4-A01	2 kg Novec™ 1230	1.2	3.2 kg



MEASUREMENTS IN MM



NEW

CLASSIC CONTROL UNIT

CD0-0380-A01

ON REQUEST



FRONT PANNEL MOUNTING

CD0-0380-A05

Also available on request with front mounting panel.



WITH CANBUS CONNECTION

CD0-0380-A03

CANBUS version upon request to connect the ECU to the CANBUS line of the car.



FRONT PANNEL MOUNTING AND CANBUS CONNECTION

CD0-0380-A07


Also available on request with CANBUS version and front mounting panel.



ELECTRONIC CONTROL UNIT FOR FIA 8865-2015 AND FIA 8876-2022 FIRE EXTINGUISHER SYSTEMS

- ECU with switch & LEDs on the top cover of the ECU
- Two-ways cable to connect activation buttons and bottle to the ECU
- Waterproof dedicated cables and connectors
- Customizable cable extensions
- Internal/External activation buttons
- Possibility to add extra activation buttons
- Easy battery replacement
- IP65 certified

TWO EXT. ACTIVATION BUTTON CONFIGURATION — OPTIONAL



REMOTE CONTROL UNIT

NEW

CD0-0380-A02

ON REQUEST



FRONT PANNEL MOUNTING

CD0-0380-A06

Also available on request with front mounting panel.



WITH CANBUS CONNECTION

CD0-0380-A04

CANBUS version upon request to connect the ECU to the CANBUS line of the car.



REMOTE ELECTRONIC CONTROL UNIT FOR FIA 8865-2015 AND FIA 8876-2022 FIRE EXTINGUISHER SYSTEMS

- Test/Armed Switch & LEDs on a dedicated panel that can be placed everywhere in the cockpit
- Three-ways cable to connect switch & LEDs, activation buttons and bottle to the ECU
- Optimal solution for small cockpit
- Possibility to add extra activation button
- Easy battery replacement
- Customizable cable extensions
- IP65 certified


FRONT PANNEL MOUNTING AND CANBUS CONNECTION

CD0-0380-A08

Also available on request with CANBUS version and front mounting panel.



TWO EXT. ACTIVATION BUTTON CONFIGURATION — OPTIONAL



CEO-SAL4-A01
FROM 2.2 M³ UP TO 4.1 M³



CEO-SAL4-B02
FROM 1.2 M³ UP TO 2.2 M³



CEO-SAL4-C01
FROM 0.6 M³ UP TO 1.12 M³



ONE COLLECTION
Very compact and ultralight fire extinguisher system, electrically activated. FIA 8865-2015 rules complying. Aluminium bottle.
3 nozzles are for the engine bay in order to protect the most critical and dangerous parts depending on the type of vehicle, 2 nozzles are for the cockpit to ensure the driver front and rear protection. The system is available in three versions: "L" version (only for medium-large sized cockpit), "S" version (suitable for small size cockpit) and "XS" version (suitable for ultra compact cockpit).
Total weight: 5,4 kg (bottle only)

SALOON
ULTRALIGHTWEIGHT
Ø 130mm




Homologated for use on:
Petrol (class I)
Petrol + up to 30% ethanol or methanol (E30) (class II)
Petrol + up to 85% ethanol or methanol (E85) (class V)



ULTRALIGHTWEIGHT
CARBON FIBER PARTS


ANODIZED BOTTLE SIDES WITH
DIFFERENT COLOR: YELLOW FOR
NOVEC SIDE (COCKPIT), BLACK
FOR AFFF SIDE (ENGINE BAY)

TWO DIFFERENT
EXTINGUISHING MEDIUM
STORED SEPARATELY IN
A SINGLE LIGHTWEIGHT
ALUMINIUM BOTTLE




Fire Extinguishing System in compliance with FIA 8865-2015
Designed for use with 3M Novec™ 1230 Fire Protection fluid.


ONE COLLECTION FIA 8865-2015 - CESAL4L		
Ref.	Extinguishant	Total weight*
CEO-SAL4-A01	2.7 kg Novec™ 1230 0.9 lt AFFF	5,4 kg



ONE COLLECTION FIA 8865-2015 - CESAL4S		
Ref.	Extinguishant	Total weight*
CEO-SAL4-B01	1.5 kg Novec™ 1230 1.5 lt AFFF	5,4 kg



ONE COLLECTION FIA 8865-2015 - CESAL4XS		
Ref.	Extinguishant	Total weight*
CEO-SAL4-C01	0.75 kg Novec™ 1230 0.9 lt AFFF	5,4 kg



MEASUREMENTS IN MM

CESAL5

CEO-SAL5-A01
FROM 2.2 M³ UP TO 4.1 M³




TECNICA COLLECTION
Electrically activated system FIA 8865-2015 homologated, made in aluminum. The extinguisher can turn off the fire in few seconds injecting 2 different fire-extinguishing medium. AFFF (Black side) to protect the engine bay and the clean agent NOVEC1230 (Green side) to protect the cockpit. The system it's pressurized. 3 black nozzles are for the engine bay in order to protect the most critical and dangerous parts depending on the type of vehicle, 2 green nozzles are for the cockpit to ensure the driver protection. Fixing brackets, clamps, tubing and connections are included. Diameter 160mm.
Total weight: 6 kg (bottle only)

Homologated for use on:
Petrol (class I) - Diesel (class III)
Petrol + up to 30% ethanol or methanol (E30) (class II)
Petrol + up to 85% ethanol or methanol (E85) (class V)

SALOON
LIGHTWEIGHT
Ø 160MM

SUITABLE FOR DIESEL CARS



LIGHTWEIGHT
ALUMINIUM

AFFF
FOR THE ENGINE
PROTECTION

NOVEC1230
FOR THE COCKPIT
PROTECTION

CEO-SAL5-B01
FROM 1.35 M³ UP TO 2.5 M³



"S" version suitable for small sized cockpit.



CESAL5 DOUBLE BOTTLE

CEO-SAL5-E01




TECNICA COLLECTION
In some categories, two FIA 8865 2015 fire extinguisher system are required. (i.e. T1, T5 etc)
CEO-SAL5-E01 is a double system suitable where 2 system are needed or for volume between 4.4 and 8.2 m³. Other customized systems for specific needs are available on request. For any request, including retrofit of single-bottle systems, contact Racing Force or an authorized dealer.


Spares and retrofit
- CD0-0423 electrical wiring and control unit
- CD0-0367 DPDT activation button

SALOON
DOUBLE BOTTLE
Ø 160MM


SUITABLE FOR T5 DIESEL VEHICLE



TECNICA COLLECTION FIA 8865-2015 - CESAL5L		
Ref.	Extinguishant	Total weight*
CEO-SAL5-A01	2.7 kg Novec™ 1230 1.2 lt AFFF	6 kg



TECNICA COLLECTION FIA 8865-2015 - CESAL5S		
Ref.	Extinguishant	Total weight*
CEO-SAL5-B01	1.7 kg Novec™ 1230 1.2 lt AFFF	6 kg



MEASUREMENTS IN MM

CEO-SAL5-D01

FROM 2.2 M³ UP TO 4.1 M³



"L" version suitable for medium-large sized cockpit.



SALOON
LIGHTWEIGHT
Ø 160mm

SUITABLE FOR ELECTRIC AND HYBRID CARS

Homologated for use on:
Petrol - Electric/Hybrid cars (class I)




TECNICA COLLECTION
Full Novec1230[®] extinguishing system electrically activated, suitable for both electric and petrol cars.
Two nozzles for cockpit, two nozzles for engine bay, one nozzle for extra position / inverters (not use into the cockpit).
New control unit with dedicated low-battery alarm.
Fixing brackets, clamps, tubing and connections are included. Diameter 160mm.
Extinguishant: Novec[®] 1230
Total weight: 6,5 kg (bottle only)

CEO-SAL5-C01

FROM 1.35 M³ UP TO 2.5 M³




"S" version suitable for small sized cockpit.




Fire Extinguishing System in compliance with FIA 8865-2015
Designed for use with 3M Novec[™] 1230 Fire Protection fluid.

TECNICA COLLECTION FIA 8865-2015 - CESAL5LE		
Ref.	Extinguishant	Total weight*
CEO-SAL5-D01	2.7 kg Novec [™] 1230 1.7 kg Novec [™] 1230	6,5 kg



TECNICA COLLECTION FIA 8865-2015 - CESAL5SE		
Ref.	Extinguishant	Total weight*
CEO-SAL5-B01	1.7 kg Novec [™] 1230 1.7 kg Novec [™] 1230	6,5 kg



MEASUREMENTS IN MM

CEFAL3

CEO-FAL3-A01



PLATINUM COLLECTION
Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles. Ultralight aluminium bottle with reduced dimensions.
Total weight: 1,8 kg (with stainless steel brackets and clamps).



FORMULA
ULTRALIGHT
Ø 100mm




**THE SMALLEST
IN THE WORLD**



PLATINUM COLLECTION FIA 2000

Ref.	Extinguishant	Empty (kg)	Total weight*
CEO-FAL3-A01	0.9 lt Ecolife	0.4	1.8 kg



MEASUREMENTS IN MM



CESAL3


CEO-SAL3-A01



PLATINUM COLLECTION
Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles. New ultralight aluminium bottle with reduced dimensions.
Total weight: 2,5 kg (with stainless steel brackets and clamps).




SALOON
ULTRALIGHT
Ø 130mm



PLATINUM COLLECTION FIA 2000

Ref.	Extinguishant	Empty (kg)	Total weight*
CEO-SAL3-A01	1.3 lt Ecolife	0.7	2.5 kg



MEASUREMENTS IN MM



CESAL3R

CEO-SAL3-B01




PLATINUM COLLECTION
Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, noozles, aluminium bottle.
Total weight: 4,3 kg
(with stainless steel brackets and clamps)



SALOON
SPECIAL FOR RALLY
Ø 160mm



PLATINUM COLLECTION FIA 2000 - CESAL3R			
Ref.	Extinguishant	Empty (kg)	Total weight*
CEO-SAL3-B01	2.8 lt Ecolife	0.94	4.3 kg



MEASUREMENTS IN MM

CEFAL2

CEO-FAL2-A01




WHITE COLLECTION
Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles, aluminium bottle.
Total weight: 4,3 kg
(with stainless steel brackets and clamps).



FORMULA
Ø 160mm



WHITE COLLECTION FIA 2000 - CEFAL2			
Ref.	Extinguishant	Empty (kg)	Total weight*
CEO-FAL3-A01	2.8 lt Ecolife	0.94	4.3 kg



MEASUREMENTS IN MM

CESAL2

CEO-SAL2-A01



WHITE COLLECTION
Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles, aluminium bottle.
Total weight: 6,2 kg
(with stainless steel brackets and clamps).




SALOON
Ø 160mm



WHITE COLLECTION FIA 2000 - CESAL2

Ref.	Extinguishant	Empty (kg)	Total weight*
CEO-SAL2-A01	4.5 lt Ecolife	1.3	6.2 kg



MEASUREMENTS IN MM

CMSST1

CM0-SST1-A01



BLACK COLLECTION
Extinguisher system (engine compartment and cockpit) mechanically activated, complete with tubings, nozzles, steel bottle.
Total weight: 8,1 kg
(with stainless steel brackets and clamps).





SALOON
Ø 160mm



BLACK COLLECTION FIA 2000 - CMSST1

Ref.	Extinguishant	Empty (kg)	Total weight*
CM0-SST1-A01	4.25 lt Ecolife	3.4	8.1 kg



MEASUREMENTS IN MM

CESST1

CEO-SST1-A01



BLACK COLLECTION
Extinguisher system (engine compartment and cockpit) electrically activated, with control box, tubings, nozzles, steel bottle.
Total weight: 7,7 kg
(with stainless steel brackets and clamps).




SALOON
SPECIAL FOR RALLY
Ø 160mm



BLACK COLLECTION FIA 2000 - CESST1

Ref.	Extinguishant	Empty (kg)	Total weight*
CEO-SST1-A01	4.5 lt Ecolife	2,4	7.7 kg



- HOSE
1 Ø8 - 1 Ø6
- 4M AL TUBING
2x
- STICKERS
2x
- CONTROL BOX
1x
- PUSH BUTTON
1x
- NOZZLES
6x
- WIRING HARNESSES
1x
- T CONNECTIONS
4x
- 90° CONNECTIONS
2x
- 3 WAY CONNECTIONS
1x

MEASUREMENTS IN MM

CMFST1

CM0-FST1-A01



BLACK COLLECTION
Extinguisher system (engine compartment and cockpit) mechanically activated, tubings, nozzles, steel bottle.
Total weight: 5,6 kg
(with stainless steel brackets and clamps).




FORMULA
Ø 130mm



BLACK COLLECTION FIA 2000 - CMFST1

Ref.	Extinguishant	Empty (kg)	Total weight*
CM0-FST1-A01	2.8 lt Ecolife	1.97	5.6 kg



MEASUREMENTS IN MM

- 4M AL TUBING
2x
- STICKERS
2x
- PULL CABLES
2x
- NOZZLES
5x
- T CONNECTIONS
3x
- 90° CONNECTIONS
2x
- 3 WAY CONNECTIONS
1x

OMP SPORT

HAND HELD EXTINGUISHER

CA0-0372-A01



SALOON
Ø 160MM



OMP SPORT
Extinguisher system (engine compartment and cockpit) mechanically activated, complete with tubings, nozzles, steel bottle.
Total weight: 8,1 kg
(with stainless steel brackets and clamps).



CB0-0323-A01

IN COMPLIANCE WITH FIA RULES

SUITABLE FOR ELECTRIC AND HYBRID CARS
Ø 130MM




STAINLESS STEEL EXTINGUISHER
Hand held fire extinguisher complete with brackets and quick release clamps. STAINLESS STEEL bottle. Extinguishing medium: 2 Kg of **3M Novec™** 1230.
In compliance with FIA App. J art. 253.
Compare to AFFF fire extinguisher system this NOVEC bottle is smaller and lighter.
Total weight: 3,15 kg




OMP SPORT FIA 2000 - OMP SPORT

Ref.	Extinguishant	Empty (kg)	Total weight*
CA0-SST1-A01	4.25 lt Ecolife	2.4	8.1 kg



HAND HELD EXTIGUISHER

Ref.	Extinguishant	Empty (kg)	Total weight*
CB0-0323-A01	2 lt Novec	1.15	3.15 kg



HAND HELD EXTINGUISHER

HAND HELD EXTINGUISHER

CB0-0316-A01



ALUMINIUM EXTINGUISHER EN3
Aluminium hand held extinguisher, 2kg powder. Complete with stainless steel brackets and quick release calmps.
Total weight: 3,1 kg

Ø 108mm



HAND HELD EXTIGUISHER			
Ref.	Extinguishant	Empty (kg)	Total weight*
CB0-0316-A01	2 kg powder	0.7	3.1 kg



MEASURE IN MM

CB0-0319-A01

IN COMPLIANCE WITH FIA RULES



STEEL STEEL EXTINGUISHER
Steel hand held extinguisher, 2,4 l Ecolife. Complete with aluminium brackets and stainless steel quick release calmps.
Total weight: 5 kg

Ø 132mm



HAND HELD EXTIGUISHER			
Ref.	Extinguishant	Empty (kg)	Total weight*
CB0-0319-A01	2.4 kg powder	2.15	5 kg



MEASURE IN MM

HAND HELD EXTINGUISHER

HAND HELD EXTINGUISHER

CB0-0322-A01




STEEL EXTINGUISHER EN3
Steel hand held extinguisher, 4kg powder, A/B/C classes. Complete with stainless steel brackets and quick release calmps.
Total weight: 6 kg

Ø 160mm



HAND HELD EXTIGUISHER			
Ref.	Extinguishant	Empty (kg)	Total weight*
CB0-0322-A01	4 kg powder	2.5	6 kg



MEASURE IN MM

CB0-0351-A01

IN COMPLIANCE WITH FIA RULES



ALUMINIUM EXTINGUISHER
Aluminium hand held extinguisher, 2,4 l Ecolife. Complete with stainless steel brackets and stainless steel quick release calmps.
Total weight: 4 kg

Ø 130mm



HAND HELD EXTIGUISHER			
Ref.	Extinguishant	Empty (kg)	Total weight*
CB0-0351	2.4 kg powder	1.15	4 kg



MEASURE IN MM

REPLACEMENT PARTS

ONE - TECNICA COLLECTIONS

CD0-0415

90° end connection, 1/8" with quick attachments. Ø 8mm



CD0-0417

Fixing brackets with clamps for 160mmØ. Anti-torpedo.



CD0-0408

Fixing brackets with clamps for 130mmØ. Anti-torpedo. (no picture)

CD0-0410

Nozzle (cockpit) specifically for CESAL4



CD0-0393-A02

Atomizer nozzle (engine bay) specifically for Ecolife systems.



CD0-0409

Cockpit nozzle fixing bracket (for CD/410)



CD0-0411

Nozzle (cockpit) specifically for CESAL5



XMC-CAB-360E

Control box cable.



CD0-0416

Straight connection, 1/8" with quick attachments. Ø 8mm



CD0-0412

"T" shaped 3-way connection, 1/8" with quick attachments. Ø 8mm



XMC-363-E-CAV

Electric extinguisher valve cable w. jack.



CD0-0414

"Y" shaped connection, 1/8" with quick attachments. Ø 8mm



CD0-0323-A01

Aluminium tubing. Ø 8 mm L 4 m



CD0-0324-A01

Fire resistant sheath 5 m roll, Ø 10 mm (or Ø 8mm ref. CD/324/8/N).



CD0-0324-A02

Fire resistant sheath 5m roll Ø 6mm



CD0-0453

Remote controller for ECU CD0-0380-A02/A04/A06/A08



CD0-0430

Wiring for remote ECU CD0-0380-A02 A04 A06 A08 C.



CD0-0436

Wiring for Classic ECU CD0-0380-A01 A03 A05 A07



CD0-0431

M5 extension (for activation button CD0-0432 and remote controller CD0-0453).



CD0-0433

Extension to connect the bottle with AMP connector.



CD0-0432-A01
Length 50 cm

CD0-0432-A02
Length 150 cm

M12 Activation button with M5 connector



CD0-0435

"Y" M5 connector to connect more activations buttons CD0-0432



CD0-0441

Protection for M12 activation button CD0-0432



CD0-0360

Control box for electrically activated extinguishing systems. With new advanced electronic unit FIA 8865-2015 homologated. IP55 waterproof standard certified.



CD0-0360-SP

Control box for extinguishing system - no activation button

PLATINUM COLLECTION

CD0-0395-A02

Straight connection Ø 8 mm (1/8" junction).



CD0-0392-A02

1/8" connection, "T" shaped with quick couplings. Ø 8 mm



CD0-0392-A03

1/8" connection, "T" shaped with quick couplings. Ø 6 mm



CD0-0390-B01

3-way connection with quick attachments, Ø 8 mm.



CD0-0399

Reduction tube Ø 6-8 mm.



CD0-0391-A02

90° end connection, 1/8" shaped with quick attachments. Ø 8 mm



CD0-0391-A03

90° end connection, 1/8" shaped with quick attachments. Ø 6 mm



CD0-0323-B02

Aluminium tubing Ø 8 mm - L. 5 m



CD0-0323-B01

Aluminium tubing Ø 6 mm - L. 3 m



CD0-0400-B01

Antitorpedo bracket and clamps for CEFAL3. (no picture)

CD0-0401-B01

Antitorpedo bracket and clamps for CESAL3. (no picture)

CD0-0407

Y shaped connection with quick attachments Ø 8mm)



PLATINUM / WHITE / BLACK COLLECTIONS

CD0-0393-A01

Atomiser nozzle specifically for Ecolife systems to be threaded onto "T" or "L" connectors.



CD0-0398

Control box for electrically activated units with wiring harness 1,5 m



CD0-0324-A01

Fire resistant sheath 5 m roll, Ø 10 mm (or Ø 8mm ref. CD/324/8/N).



XMC-363-E-CAV

Electric extinguisher valve cable w. jack.



XMC-398-CAV

Control box cable.



BLACK COLLECTION

CD0-0335

Pull cable for mechanically operated systems.



WHITE / BLACK COLLECTIONS / OMP SPORT

CD0-0394

Straight connection (1/4" junction).



CD0-0395-A01

Straight connection (1/8" junction).



CD0-0392-A01

1/8" connection, "T" shaped with quick couplings.



CD0-0391-A01

90° end connection, 1/8" shaped with quick attachments.



CD0-0390-A01

3-way connection with quick attachments.



CD0-0323-A01

Aluminium tubing ø 8 mm 4 m



CD0-0404

Bracket only for OMP Sport CA/372 (no picture)

ONE / TECNICA / PLATINUM /WHITE / BLACK COLLECTIONS

XMC-855

Sticker.



XMC-181493

Rubber protection ring for push button EA/467



EA0-0467

Water-proof push button for external control.



HAND HELD EXTINGUISHERS

CD0-0309

Brackets for STEEL HAND HELD extinguishers Ecolife: CAB/319, ø 132 mm



CD0-0356

Bracket for ALUMINIUM HAND HELD extinguisher: CBB/351 ø 130 mm



CD0-0418

Brackets for stainless steel extinguisher Hand held CAB/323. (no picture)

CD0-0405

Bracket for STEEL extinguisher CAB/322, ø 160 mm (no picture)

CD0-0311-A01

Anti-torpedo tabs for double brackets extinguishers.



CD0-0300-A01

Anti-torpedo tabs for mono brackets extinguishers (e.g. CEFAL3).



CD0-0312

Brackets for STEEL HAND HELD extinguishers Ecolife: CAB/316, ø 108 mm (no picture)





STEERING WHEELS

320 HYBRID S

ODO-2048

SUPER PROFESSIONAL RALLY STEERING WHEEL

Flat steering wheel made with a new exclusive composite technology (carbon fiber and Dyneema®) 300% more resistant than the carbon steering wheel and 20% lighter. Supplied with horn button. Prepared to install 4 buttons (not included) Realized and developed in cooperation with 4 time WRC world champion Volkswagen Motorsport.


CARBON FIBER AND DYNEEMA®

FLAT

SUPPLIED WITH HORN BUTTON


1


suede leather

2

 carbon
DYNEEMA®

OVER 20% LIGHTER
300% MORE RESISTANT

IN COMPARISON WITH CARBON VERSION



Diameter: 320 mm
Handgrip: oval 35x24 mm

310 ALU GT

ODO-2044

SUPERLIGHT PROFESSIONAL GT STEERING WHEEL

Completely made in aluminium and suede leather. Studied and ready for the installation of most popular electronic display like: MoTec C125 and AiM MXL

 ALUMINIUM
FLAT


1

suede leather

2

no stitching

3

 Italian flag
colored stitching


Diameter: 315 mm
Handgrip: oval 36x30 mm

320 CARBON S

350 CARBON D

OD0-2032



SUPERLIGHT PROFESSIONAL STEERING WHEEL

Carbon steering wheel manufactured as one integral piece.

CARBON FIBER

FLAT

SUPPLIED WITH HORN BUTTON



**50% LIGHTER
15% MORE RESISTANT**

IN COMPARISON WITH STANDARD VERSION

OD0-2028



SUPERLIGHT PROFESSIONAL DISHED STEERING WHEEL

Carbon steering wheel manufactured as one integral piece.

CARBON FIBER

DISHED


SUPPLIED WITH HORN BUTTON




**50% LIGHTER
15% MORE RESISTANT**

IN COMPARISON WITH STANDARD VERSION

**DESIGNED IN COOPERATION
WITH P. SOLBERG**



Diameter: 320 mm
Handgrip: oval 35x24 mm



Diameter: 350 mm
Handgrip: round 30 mm

320 ALU SP

OD0-2042-A02



LIGHT PROFESSIONAL STEERING WHEEL

Made completely in aluminium and suede leather. Preforated version with central hole supplied with horn button. This version has been derived from the model 320 Carbon S, which has been designed in cooperation with P. Solberg (FIA World RX 2014/21015 Winner).

ALUMINIUM

FLAT

SUPPLIED WITH
HORN BUTTON



1

red buttons for controlling two separate accessory switches (e. g. one horn and the other for high beams)

2

suede leather

3

no stitching


4

black anodized spokes

320 ALU S

OD0-2042-A01

Same characteristics as OD0-2042-A02. Without central horn button.



24

35

Diameter: 320 mm
Handgrip: oval 35x24 mm

OD0-2042-A03



THREE SPOKES FLAT ALUMINIUM STEERING WHEEL IN SUEDE LEATHER.

Shaped handgrip and spokes to improve driving feeling and comfort. Lightweight materials.

Designed in cooperation with Skoda Motorsport.

ALUMINIUM

FLAT

SUPPLIED WITH
HORN BUTTON



1

suede leather

2

no stitching

3

black anodized spokes


4

shaped ergonomic

NEW



DESIGNED IN COOPERATION WITH ŠKODA MOTORSPORT, relying over the years on feedback from rally stars such as Kalle Rovanperä



24

35

Diameter: 318 mm
Handgrip: oval 35x24 mm

ODO-2046



SUPERLIGHT PROFESSIONAL RALLY STEERING WHEEL

Flat steering wheel, in aluminium, 350 mm diameter, round 30 mm handgrip. With colored marks on the crown to indicate steering wheel angles (0° - 25° - 55° - 100° - 160°) for rally notes.

ALUMINIUM

FLAT

SUPPLIED WITH HORN BUTTON



1


suede leather

2

black stitching

3

colored marks



Diameter: 350 mm
Handgrip: round 30 mm

ODO-2020



MADE COMPLETELY FROM ALUMINIUM 40% lighter than equivalent model Velocità OD/1958.

ALUMINIUM

FLAT

SUPPLIED WITH HORN BUTTON



1

suede leather

2

black stitching

3

black anodized spokes


40% LIGHTER

IN COMPARISON WITH STANDARD VERSION

VELOCITÀ OV SUPERLEGGERO

ODO-2035

Same characteristics as ODO-2020.
Oval section version.
Diameter: 320 mm



Diameter: 350 mm
Handgrip: round 30 mm

OD0-2021



LIGHT PROFESSIONAL STEERING WHEEL
Made completely in aluminium.
40% lighter than equivalent model Corsica OD0-1954.

ALUMINIUM

FLAT

SUPPLIED WITH
HORN BUTTON

40% LIGHTER
IN COMPARISON
WITH STANDARD VERSION



1

suede leather

2

black
stitching

3

black anodized
spokes

CORSICA OV SUPERLEGGERO

OD0-2034

Same features
as OD0-2021
OVAL HANDGRIP SHAPED



OD0-1954




PROFESSIONAL STEERING WHEEL
Made in aluminium and steel.

OD0-1956

DISHED

SUPPLIED WITH
HORN BUTTON


**SUEDE
LEATHER**



OD0-1954-371
In suede leather.
Titanium colour
anodized spokes.
Yellow stitching.



OD0-1954-071
In suede leather.
Black anodized spokes.
Yellow stitching.



OD0-1954-075
In suede leather.
Blue anodized spokes.
Yellow stitching.



OD0-1954-073

In suede leather.
Black anodized spokes.
Red stitching.

**SMOOTH
LEATHER**



OD0-1956-073
In smooth leather.
Black anodized spokes.
Red stitching.



OD0-1956-071
In smooth leather.
Black anodized spokes.
Yellow stitching.




OD0-1956-371
In smooth leather.
Gray anodized spokes.
Yellow stitching.

CORSICA 330

OD0-2012

In suede leather.
Black anodized
spokes.
Yellow stitching.
Diameter: 330 mm



Diameter: 350 mm
Handgrip: oval 30x28 mm
Depth: 95 mm

OD0-1950

OD0-1951




PROFESSIONAL STEERING WHEEL
Made of aluminium and steel.

DISHED

SUPPLIED WITH
HORN BUTTON

OD0-1951-240
In suede leather.
Blue anodized spokes.
No stitching.



Diameter: 350 mm
Handgrip: round 30 mm
Depth: 95 mm

OD0-1979




PROFESSIONAL STEERING WHEEL
Made of aluminium and steel.

OD0-1980

MID-DEPTH DISHED
SUPPLIED WITH
HORN BUTTON

OD0-1979-071
In suede leather.
Black anodized spokes.
Black stitching.



Diameter: 350 mm
Handgrip: round 30 mm
Depth: 70 mm

ODO-2055




ENTRY LEVEL STEERING WHEEL
Tree aluminium spokes, round grip
in suede leather.

MID-DEPTH DISHED
SUPPLIED WITH
HORN BUTTON



- 1**
suede leather
- 2**
black stitching
- 3**
aluminium spokes
- 4**
yellow viewfinder




ODO-1957



ODO-1958

FLAT
SUPPLIED WITH
HORN BUTTON

VELOCITÀ 380




SUPERQUADRO

ODO-1990



FLAT
SUPPLIED WITH
HORN BUTTON

- 1**
suede leather
- 2**
black stitching
- 3**
black anodized spokes



TARGA


OD0-2005



FLAT

SUPPLIED WITH
HORN BUTTON

- 1**
suede leather
- 2**
black stitching
- 3**
black anodized spokes




OD0-1985



FLAT

SUPPLIED WITH
HORN BUTTON

- 1**
suede leather
- 2**
black stitching
- 3**
black anodized spokes




TRECENTO

OD0-1975



OD0-1976

FLAT


SUPPLIED WITH
HORN BUTTON

OD0-1972



SINGLE SEATER

- 1**
suede leather
- 2**
black stitching
- 3**
black anodized spokes



FORMULA QUADRO

FOCUS



MUGELLO



COUNTERFEIT STEERING WHEELS ARE A REAL THREAT TO YOUR SAFETY

But how can we sort out a genuine OMP steering wheel from a fake?

BEWARE OF

Too low prices / Altered OMP logo /
Unofficial dealers
Models or colors that you can't find
on OMP catalog or website

OMP HOLOGRAM


Example of an anti-counterfeiting
hologram applied on rear spokes

Every OMP steering wheel is marked with
an anti-counterfeiting hologram that certifies the authenticity
and the quality of OMP products

OD0-2023

FLAT

SUPPLIED WITH
HORN BUTTON




INDY OPEN

OD0-2017



SINGLE SEATER




- 1**
suede leather
- 2**
black stitching
- 3**
black anodized spokes

OD0-2031

FLAT

SUPPLIED WITH
HORN BUTTON




- 1**
black stitching
- 2**
black anodized spokes

OD0-2018

FLAT

SUPPLIED WITH
HORN BUTTON

- 1**
smooth
leather
- 2**
perforated
lether inserts
- 3**
crome
spokes




ASSO

OD0-1981

FLAT

SUPPLIED WITH
HORN BUTTON

- 1**
polyurethane
- 2**
black
stitching
- 3**
black anodized
spokes
- 4**
simulating
perforated
leather




TRECENTO UNO

OD0-2019

FLAT

SUPPLIED WITH
HORN BUTTON

- 1**
smooth
leather
- 2**
crome
spokes




OD0-1989/NN

FLAT

SUPPLIED WITH
HORN BUTTON

- 1**
polyurethane
- 2**
black
stitching
- 3**
black anodized
spokes
- 4**
simulating
perforated
leather




STEERING WHEELS ACCESSORIES

QUICK RELEASE HUB TO BE WELDED

Quick release hub in aluminium with 6 holes. Compatible with 3 or 6 holes steering wheel. Recommended use of PTFE dry lube to get the best performance and preserve all components. Also available with 11 pin professional electrical connectors included (this part is an high performance interconnection engineered with arc-shape metal guides, which ensure a rapid and precise alignment of the 11 contacts. Aluminium body, IP68 sealing, 10000 cycles guarantee, high temperature and chemical resistance). Connector model:
FISCHER SFE 104 A056-130 (male)
FISCHER DEE 104 A056-130 (female)

TO BE WELDED
OS0-0024-A03

TO BE WELDED WITH
CONNECTOR INCLUDED
OS0-0024-A04




QUICK RELEASE HUB TO BE BOLTED

Quick release hub in aluminium with 6 holes. Compatible with 3 or 6 holes steering wheel. Recommended use of PTFE dry lube to get the best performance and preserve all components. Also available with 11 pin professional electrical connectors included (this part is an high performance interconnection engineered with arc-shape metal guides, which ensure a rapid and precise alignment of the 11 contacts. Aluminium body, IP68 sealing, 10000 cycles guarantee, high temperature and chemical resistance). Connector model:
FISCHER SFE-104-A056-130 (male)
FISCHER DEE-104-A056-130 (female)

TO BE BOLTED
OS0-0024-A01

TO BE BOLTED WITH
CONNECTOR INCLUDED
OS0-0024-A02




QUICK RELEASE HUB

6 holes quick release hub in aluminium. With 'butterfly' shape to avoid interaction with shift paddle. Compatible with 3 or 6 holes steering wheels. Alavailable in to be welded version (ODS/025/W) or in to be bolted version (ODS/025/B).

TO BE BOLTED
OS0-0025-A01

TO BE WELDED
OS0-0025-A02



AVAILABLE ON REQUEST WITH PROFESSIONAL
ELECTRICAL CONNECTOR

TO BE BOLTED
OS0-0025-A03

TO BE WELDED
OS0-0025-A04

STEERING WHEELS ACCESSORIES

WHEEL PLATE

OD0-2029

Carbon fiber.
Thickness: 2.5 mm

For use of up to
2 buttons (included).
2 drill points for
attachment between
steering wheel and
hub. Fixing screws
included.



FACE PROTECTION

OD0-2052-B01



Universal face protection for steering wheel. Suede leather upholstery, it fits on any racing steering wheel thanks to the three adjustable velcro's straps. Made in ultralight CONFOR™ foam CF45M (blue) in compliance with FIA Appendix J Article 285 (revision August 2020). Depth: 40 mm, Diameter: 160 mm.

FIXED STEERING WHEEL SPACERS

OS0-0023

Depth: 60 mm

OS0-0023-081
anodized silver



OS0-0023-071
anodized black

WHEEL PLATE

OD0-2026




Carbon fiber.
Thickness: 2.5 mm

For use of up to 4 buttons (not included).
6 drill points for attachment.
Fixing screws included.

STEERING WHEEL HUBS

OD0-1960-...

These steering wheel hubs
have been designed so as
to maintain the original steering
wheel (flat model) position.



see the application list
on www.ompracing.com
and on QR code



OFFICIAL
LICENSED
PRODUCTS

CAR COVER

OMPS18010619
SIZE M (457X165X120cm)

OMPS18010819
SIZE L (488X178X120cm)

OMPS18011019
SIZE XL (533X178X120cm)

Materials: 4 layers 110g/m² PP+PE+PP+ spunlace cotton.
All weather car cover, reflective grey line along both sides,
mirror pocket, rear license plate window, elastic band both
front & rear, anti-theft grommet, 4 wheels tie up lace,
storage bag. colour: black with grey strip.
packing: double window bag with
colour insert card.



SPORT CAR COVER

Materials: woolen cloth with spandex 110g, high elasticity.
description: interior cover, elastic band both front and rear,
fits 2/4 doors cars, storage bag.
Colour: Black.
Packing: material storag bag
& colour box.

OMPS18040713
SIZE M/L (450x140x120cm)

OMPS18040913
SIZE L/XL (505x165x120cm)



OFFICIAL
LICENSED
PRODUCTS

RALLY WHEEL



OMPS00011503
15" X 6.5 4X100 35 60.1

OMPS00021503
15" X 6.5 4X108 16 65.1





ZN

ZERONoise


Zeronoise features the most advanced communication systems in WRC. With its adaptive sound technology ZN is able to deal with any car, surface and driver's preference. This technology translates into a full product range of intercoms and full integration with Bell and OMP helmets.

The integration of ZN with OMP and Bell, delivers top performances thanks to the combined effort of the R&D departments. This approach led to breakthrough innovations such as the one today known as the Driver's Eye, the smallest camera in the world for live TV broadcasting, FIA homologated, that brings the driver's POV to the audience.

RALLY COMMUNICATION SYSTEM

The Rally communication systems enable communication between driver and co-driver with extensive power and noise canceling. It also allows radio connection, Bluetooth connection, as well as car camera.

Typical configuration:
male 4 pin nexus connector on amplifier, female 4 pin nexus connector on helmet or headset.



CIRCUIT COMMUNICATION SYSTEM

Communicate between the car and the pit with a standard phone call, through a professional intercom system connected via bluetooth to the smartphone. PIT LINK allows you to connect up to two people in the car, as well as more cars and more people at the pit by using the conference call feature of the smartphone.

Typical configuration:
female 4 pin nexus connector on amplifier, male 4 pin nexus connector on helmet or headset.



RALLY
environment




H. PADDON - BRC RACING TEAM

CIRCUIT
environment



TOYOTA RACING DEVELOPMENT GR86 CUP



WIRED MODE COMMUNICATION SYSTEM

The Wired-Wireless (WW) System enables communication between driver and co-driver both in Wired and Wireless mode. When the helmet IS connected to the amplifier via cable, the communication works traditionally, also keeping compatibility with any Nexus communication system.

Typical configuration:
male 4 pin nexus connector on amplifier, female 4 pin nexus connector on helmet or headset..

COMPONENTS:

WW Zeronoise Amplifier (see page 96)

WW Bell Helmet radio kits / Helmet radio kits produced by other manufacturers (see page 108-109)

WW Zeronoise Headsets / Headsets produced by other manufacturers (see page 97)

Extensions and adaptors (if needed for different connector systems, e.g. components produced by other manufacturers).



WIRELESS MODE COMMUNICATION SYSTEM

When the helmet IS NOT connected to the amplifier via cable, the system switches automatically to the wireless mode with no interruption whatsoever.

Typical configuration: Wireless connection.

COMPONENTS:

WW Zeronoise Amplifier (see page 96)

WW Bell Helmet radio kits (see page 108-109)

WW Zeronoise Headsets (see page 97)

**THE WW SYSTEM
MAINTAINS
COMPATIBILITY WITH
ANY NEXUS
COMMUNICATION
SYSTEM**



CHECK THE CATALOGUE OR THE BELL RACING WEBSITE TO DISCOVER HELMETS COMPATIBLE WITH THE WIRED-WIRELESS SYSTEM

FEARLESS WW FOR RALLY USE

PRO DIGITAL AMPLIFIER

It combines wired and wireless communication using the Zeronoise adaptive noise cancelling algorithm, automatically and smoothly switching to the most efficient mode. The military grade technology always ensures encrypted and reliable communications. It works wirelessly with selected Bell rally helmets, but it is fully compatible with any helmet with a standard Nexus connector.


DIMENSIONS
125x70x35 mm

NEXUS CONNECTOR



FEARLESS WW MAINTAINS
COMPATIBILITY WITH ANY NEXUS
HELMET / HEADSET

NEW



6100041

Digital - Male
4 PIN Nexus



WIRELESS HEADSET FOR RALLY USE

ZERONOISE WW HEADSET provides high hearing protection while being comfortable and lightweight. The high efficiency speakers are suitable for a conversating or listening to music. It also features a dynamic noise cancelling microphone and an adjustable flex boom. It is fully compatible with all ZERONOISE AMPLIFIERS.

NEXUS CONNECTOR



6200009

NEW




- High efficiency speakers for music or voice
- Dynamic noise cancelling microphone
- Flex boom to adjust microphone
- High hearing protection
- Soft auto adjustable headband
- Comfortable earpads

- Coiled cable
Available with three different connectors:
- Male 4 PIN Nexus
 - Female 4 PIN Nexus
 - Female 4 PIN Nexus (comp. IMSA)

6200010

Wiring for Headset WW
Female Nexus 4 PIN Connector



FEARLESS WRC CANBUS

PRO DIGITAL AMPLIFIER

CAN-BUS TECHNOLOGY
FOR RALLY USE

6100036

PROFESSIONAL DIGITAL AMPLIFIER
with an integrated digital back-up unit and CanBus connectivity for a full car integration. Through the Can-Bus it is possible to set each and every parameter of the amplifier from the car and visualise the values directly on the dashboard. The amplifier has Deutsch connectors.

AVAILABLE UPON REQUEST
DIMENSIONS
180x140x45 mm

CONNECTORS

WIRING FOR FEARLESS WRC CANBUS AMPLIFIER

6100037

Wires and Deutsch connectors from the Fearless WRC CanBus amplifier to the car.

AVAILABLE UPON REQUEST



HYUNDAI MOTORSPORT

FEARLESS

FOR RALLY
USE

DIGITAL AMPLIFIER

NEXUS CONNECTOR

PROFESSIONAL DIGITAL AMPLIFIER


MULTIFUNCTION TOUCH DISPLAY
(IT WORKS WITH GLOVES)

DIMENSIONS
125x70x35 mm



The digital amplifier used by more than half of WRC drivers. A state of the art digital processor provides unique adaptive noise cancelling algorithm and sound comfort. The electronics, look, and usability, make it the finest choice in the market. Anti shock and anti vibration silicon cover. Compatible with any helmet intercom kit with Nexus connectors, and fully compatible with all Zeronoise intercoms kit/headset.

SIDE VIEW



BACK VIEW



6100008

Digital - Male
4 PIN Nexus



6100009

Digital - Female
4 PIN Nexus



6100010

Digital - Female
4 PIN Nexus
(comp. IMSA)



FURY

FOR RALLY
USE

NEW

DIGITAL AMPLIFIER


NEXUS CONNECTOR

PROFESSIONAL DIGITAL AMPLIFIER
DYNAMIC NOISE CANCELLATION
DIMENSIONS
125x70x35 mm

TERRAIN: The algorithm focusses on the noises coming from the road surface.
BOOST: It enhances the voice volume output for the most demanding drivers.
ENGINE: Effective on the noises coming from the engine.
ROAD/STAGE: Stage mode turns off the radio output, so the communication is solely between drive and co-driver for maximum focus.



The new digital amplifier that combines the Zeronoise digital sound quality with the simplicity of use. The four pre-set buttons had been carefully designed to refine the sound in any condition. They both work independently or combined.




6100038
Digital - Male
4 PIN Nexus



6100039
Digital - Female
4 PIN Nexus




6100040
Digital - Female
4 PIN Nexus
(comp. IMSA)



BRAVE

FOR RALLY
USE

ANALOG AMPLIFIER


NEXUS CONNECTOR

NEW RELEASE
INCREASED POWER OUTPUT INCREASED
POWER SUPPLY STABILISATION

DIMENSIONS
125x70x35 mm



Analog amplifier with a unique value for money. Its brand new amplification delivers a clean sound with the likes of professional intercoms and endless power. It also features a 12v power cable to connect BRAVE to the car battery and a car camera RCA socket. It is fully compatible with all ZERONOISE INTERCOM KITS/HEADSETS.




6100002
Analog - Male
4 PIN Nexus



6100003
Analog - Female
4 PIN Nexus




6100004
Analog - Female
4 PIN Nexus
(comp. IMSA)





PROFESSIONAL RALLY HEADSET

NEW RELEASE


NEXUS CONNECTOR




EARCUPS




EARPLUGS KIT



PRO EARPLUGS KIT



PRO EARPLUGS KIT



The new ZN PRO EARPLUGS feature a super soft, very comfortable silicone moulded shape that easily adapts to any ear. The speaker is mounted in the ear canal that can be short or long, depending on the ear shape and personal preferences.

See the dedicated adaptors on page 106 (Ref. 6400021-6400022-6400023).

PIT HEADSET 6200005

Jack 3.5mm- Smartphone comp.
WITH PTT BUTTON - ANDROID compatible.

PIT HEADSET 6200006

Jack 3.5mm- Smartphone comp.
WITH PTT BUTTON - iPHONE compatible.



NEW RELEASE

Professional Headset with Noise cancelling Microphone, Jack 3.5mm connector for smartphone.

REPLACEMENT TIPS



PIT-LINK

FOR CIRCUIT USE




CIRCUIT GSM COMM SYSTEM

PIT-LINK BLUETOOTH
Bluetooth Digital Amplifier that allows professional communication between two people in the car and the pit at the same time through Bluetooth smartphone connection. Noise and voice can be digitally set to fine tune noise canceling and voice. Communication can open up automatically or via PTT button.

DIMENSIONS
125x70x35 mm



Digital Noise Filters and Voice Equalisation, Multifunction Touch Display, Nexus connectors, L=2m cables, Car Camera Audio output (RCA), Car battery cable 12V. Software updates through USB-C port, black rugged cover.



VALIANT

CLUB AMPLIFIER

DIMENSIONS
125x70x35 mm




VALIANT HEADSET



HEADSET
with Electret Noise Cancelling microphone, Male Jack 6.35mm STEREO connector and coiled cable.

NEW RELEASE



SPARE PARTS

RUGGED SILICONE COVER

Heavy duty silicone cover anti shock and anti vibration.



6100019
red rugged



6100035
grey rugged



6100030
black rugged

SMOOTH SILICONE COVER



6100018
red smooth

SOUND FILTER 6400017

12V Power Filter works between the intercom and the 12V power source. It filters audio signal and minimises interferences.



REPLACEMENT MICROPHONE FOAM COVER

6400024

Replacement for Headset and RHK Jet Version.



RADIO ADAPTERS

Compatible with amplifier: fury, fearless, fearless WW.



BOX RADIO ADAPTER
6400025



BOX RADIO ADAPTER
+ POWER FILTER
6400026










BOX POWER FILTER

COMPATIBLE WITH ALL Amplifiers

6400027




COMPATIBILITY TABLE

						
AMPLIFIER, INTERCOM, RADIO, PHONE		HELMET/HEADSET/RADIO HELMET KIT				
		STANDARD (EU)				IMSA (USA)
		MALE NEXUS 4 PIN	FEMALE NEXUS 4 PIN	MALE NEXUS 5 PIN	MALE NEXUS 4 PIN	
STANDARD (EU)	MALE NEXUS 4 PIN 	6400004	EXTENSION 6400006	MADE TO ORDER	6400008	
	FEMALE NEXUS 4 PIN 	EXTENSION 6400006	6400005	MADE TO ORDER	6400009	
	FEMALE NEXUS 5 PIN 	6400012	6400013	MADE TO ORDER	MADE TO ORDER	
IMSA (USA)	FEMALE NEXUS 4 PIN 	6400009	6400007	MADE TO ORDER	MADE TO ORDER	
	FEMALE NEXUS 5 PIN 	NA	NA	NA	6400014	
		6400010	6400011	MADE TO ORDER	MADE TO ORDER	

ADAPTORS

REF.	ADAPTOR TYPE	CONNECTOR 1	CONNECTOR 2	CABLE TYPE	LENGHT
STANDARD (EU)					
6400004	ADAPTOR	MALE 4 PIN NEXUS	MALE 4 PIN NEXUS	COILED CABLE CROSSED WIRING	15 cm
6400005	ADAPTOR	FEMALE 4 PIN NEXUS	FEMALE 4 PIN NEXUS	COILED CABLE CROSSED WIRING	15 cm
6400006	EXTENSION	MALE 4 PIN NEXUS	FEMALE 4 PIN NEXUS	COILED CABLE	150 cm
6400012	ADAPTOR	FEMALE 4 PIN NEXUS	MALE 5 PIN NEXUS	STRAIGHT CABLE	15 cm
6400013	ADAPTOR	MALE 4 PIN NEXUS	MALE 5 PIN NEXUS	STRAIGHT CABLE	15 cm
6400021	ADAPTOR EXTENSION	FEMALE 4 PIN NEXUS / RCA	MALE 4 PIN NEXUS	COILED CABLE	15 cm
6400022	ADAPTOR	MALE 4 PIN NEXUS / RCA	MALE 4 PIN NEXUS	COILED CABLE CROSSED WIRING	15 cm
6400023	ADAPTOR	FEMALE 4 PIN NEXUS / RCA	FEMALE 4 PIN NEXUS	COILED CABLE CROSSED WIRING	15 cm

STANDARD USA IMSA 					
6400008	ADAPTOR	FEMALE 4 PIN NEXUS	FEMALE 4 PIN (IMSA) NEXUS	COILED CABLE CROSSED WIRING	15 cm
6400009	ADAPTOR	MALE 4 PIN NEXUS	FEMALE 4 PIN (IMSA) NEXUS	COILED CABLE CROSSED WIRING	15 cm
6400007	ADAPTOR	MALE 4 PIN NEXUS	MALE 4 PIN (IMSA) NEXUS	COILED CABLE CROSSED WIRING	15 cm
6400014	ADAPTOR	FEMALE 4 PIN (IMSA) NEXUS	MALE 5 PIN (IMSA) NEXUS	STRAIGHT CABLE	15 cm

STANDARD SMARTPHONE					
6400010	ADAPTOR	MALE 4 PIN NEXUS	JACK 3.5MM MALE FOR SMARTPHONE	STRAIGHT CABLE	50cm
6400011	ADAPTOR	FEMALE 4 PIN NEXUS	JACK 3.5MM MALE FOR SMARTPHONE	STRAIGHT CABLE	50 cm











FIND YOUR ZN RADIO HELMET KIT

All our radio kits in a single table. Here you can find all the radio kits we have developed for an optimised use with ZN amplifiers, and still compatible with the major competitors' products.

There are 8 models for jet helmets and 12 models for full face helmets: choose yours by **CONNECTOR**, **MICROPHONE** and **SPEAKERS**.


Custom kit available upon request.

YOUR HELMET MODEL	REF.	CONNECTOR
 OPEN FACE HELMET	6300001	FEMALE NEXUS 4 PIN
	6300002	FEMALE NEXUS 4 PIN
	6300003	FEMALE NEXUS 4 PIN
	6300004	MALE NEXUS 4 PIN
	6300005	MALE NEXUS 4 PIN
	6300006	IMSA NEXUS 4 PIN
	6300007	IMSA NEXUS 4 PIN
	6300008	MALE STEREO
 FULL FACE HELMET	6300024	MALE NEXUS 4 PIN
	6300025	MALE NEXUS 4 PIN
	6300026	FEMALE NEXUS 4 PIN
	6300009	MALE NEXUS 4 PIN
	6300010	MALE NEXUS 4 PIN
	6300011	MALE NEXUS 4 PIN
	6300012	MALE NEXUS 4 PIN
	6300013	MALE NEXUS 5 PIN
	6300014	IMSA NEXUS 4 PIN
	6300015	IMSA NEXUS 4 PIN
	6300016	IMSA NEXUS 4 PIN
	6300017	IMSA NEXUS 4 PIN
	6300018	MALE IMSA NEXUS 5 PIN
	6300019	MALE STEREO
	6300026	USB-C FOR PIT LINK
	6300023	FEMALE NEXUS 4 PIN
	6300027	FEMALE NEXUS 4 PIN
	6300034	MALE RCA
	6300035	MALE STEREO


MICROPHONE FOR OPEN FACE		CONNECTOR FOR EARPLUGS		SPEAKERS	
BELL HCB COMPATIBLE	FLEX BOOM	RCA CONNECTOR	3,5mm CONNECTOR	EARCUPS	SPEAKER PADS
					
	✓			✓	
	✓				✓
✓				✓	
	✓			✓	
	✓				✓
	✓			✓	
	✓				✓
	✓				✓
		✓			
			✓		
✓				✓	✓
		✓			✓
			✓		
		✓			
			✓	✓	
		✓			✓
			✓		
		✓			✓
			✓		✓
				✓	
				✓	
				✓	

CONNECTORS


FEMALE NEXUS 4 PIN




MALE NEXUS 5 PIN




MALE NEXUS 4 PIN




MALE STEREO




USB-C FOR PIT LINK




MALE RCA



MALE IMSA NEXUS 5 PIN



IMSA NEXUS 4 PIN



MICROPHONE & SPEAKERS

MICROPHONE FOR HCB



FLEX BOOM MICROPHONE



EARCUPS



MICROPHONE KIT FOR EARPLUGS RCA CONNECTOR



MICROPHONE KIT FOR EARPLUGS 3,5mm CONNECTOR



SPEAKER PADS





RACING ACCESSORIES

RACING NET

NAO-1876

Professional entry level racing net with quick release and quick front strap adjustment to fit with several seat positions. Designed to be mounted on the left or on the right side of the driver.


FIA 8863-2013 homologated
SFI 37.1 ON REQUEST



WINDOW NET

NAO-1870

Nylon window safety net. Black colour. Also available in red colour upon request.
Attachment: velcro.
Dimensions webbing: 60x60 mm
FIA J 253.11 compliant



RACING NET

NAO-1875

Professional racing net with small-sized quick release to improve driver's field of view and front strap adjustment to fit with several seat positions. Designed to be mounted on the left or on the right side of the driver.

FIA 8863-2013 homologated



RACING NET

NAO-1877

Professional top level racing net with quick release, quick front strap adjustment to fit with several seat positions, large triangle to allow an easier mounting complying FIA rules and thinner straps to improve driver's field of view. Designed to be mounted on the left or on the right side of the driver.

FIA homologated 8863-2013
SFI 37.1 ON REQUEST



PROFESSIONAL

NC0-1068

Aluminium frame.
Dimensions: 100x72 cm
Complete with 42 cards of numbers, letters and symbols measuring 23x14 cm and one customizable plate 23x65 cm supplied in a synthetic leather bag, which stores sidely on the aluminium frame when not being used.



LIQUID CRYSTAL HANDHELD STOPWATCH

NC0-1040




CHRONOGRAPH: with split, total elapsed times up to 9h, 59', 59", 99 seconds.
CLOCK: displays hours, minutes, seconds, alarm clock with 12/24h option.
TIMER: with presettable countdown timer. 60 lap memory and lap counter. Shows fastest lap, slowest lap and average lap times. 60 MEMORY

TRIPLA

NC0-1067

Aluminium frame.
Dimensions: 72x72 cm
Complete with 24 cards of numbers, letters and symbols measuring 23x14 cm



CARDS

NC0-1069

42 spare cards for pit boards KC/1067 and KC/1068, supplied in a synthetic leather carrying pouch.



HANDHELD STOPWATCH

NC0-1041



CHRONOGRAPH: with partial and total elapsed times up to 9h 59'59"99, lap times.
CLOCK: with alarm clock and Pacer dater.
TIMER: with countdown function.

CO-DRIVER PLUS

OB0-2980

Lightweight sporty bag with shoulder strap and organizational features included plenty of internal and external accessory pockets. Ideal for co-drivers.

DIMENSIONS: 40x34x20 cm



NEW

CO-DRIVER MAP LIGHT



6400001

High efficiency led and flex metal boom, fixing bracket with switch. Lenght: 50 cm

6400002

High efficiency led and flex metal boom, fixing bracket with switch. Lenght: 40 cm

6400003

High efficiency led and flex metal boom, fixing bracket with switch. Lenght: : 30 cm

CO-DRIVER'S PAD



NAO-1863

Size: A4
Pages: 130

NAO-1862

Size: 17,3x22cm
Pages: 130

PRIVACY SCREEN

NAO-1880



Foldable screen to ensure safety operations privacy. It can be deployed in few seconds, four handles to hold it in position.
Structure in fiberglass rib with aluminium joints, screen in airproof and waterproof nylon fabric (not fire retardant). Compact bag for transport included.
SIZE (deployed): 1,8mt x 1,8mt
SIZE (stored in bag): 1,4mt x 0,13mt
WEIGHT: 1,9kg

NYLON STRAP

NAO-1822

Nylon spare wheel down strap.



SHEATH

CD0-0324-A01

Fire resistant sheath.
Ø Internal: 10mm
Lenght: 5m



TANK TAPE

NAO-1859

Tank tape.
Wide: 50 mm
Roll: 50 m



Black



Grey

NAO-1859-071

NAO-1859-081



SPLASH GUARD

NAO-1700-A01

Polyethylene splash guard
Dimensions: 50x30 cm Thick: 1,5 mm



Red

NAO-1700-A02-061



Blue

NAO-1700-A01-041



Black

NAO-1700-A01-071



Trasparent

NAO-1700-A01-020



WHEEL SUPPORT

NAO-1819

Spare wheel support with quick release system.



CROSS WHEEL SPANNER

NAO-1821

Combination steel cross wheel spanner and spare wheel support.



STEEL SPANNER HOLDER

NAO-1820

Steel sheel spanner holder.



PINS

EB0-0489

Stainless steel pins with large slide pins.



PINS

EB0-0480

M10 aluminium pins with small sliding pins in stainless steel.



CLIPS

EB0-0491


Stainless steel spring clips. Suitable for hatchbacks.



PINS


EB0-0490

M10 stainless steel pins slide with large cast aluminium washers.



OPEN

CLOSED



STRAPS

EB0-0487


Leather straps.



HOOKS

EB0-0483


Rubber hooks (large).



HOOKS

EB0-0578

FIA APPENDIX J art. 253
Straps. 2"
ø ring: 14mm
Chassis fixing: two hole 8mm and 14mm Red only.



HOOKS

EB0-0580

FIA APPENDIX J art. 253
Straps. 2"
With restraint elastic strap. Compliant with FIA rules.



BONNET PINS

EB0-0492

Red

EB0-0492-061

Aluminium


EB0-0492-003

Black

EB0-0492-071

Blue

EB0-0492-041




Quick release bonnet pins aluminium W 7/16" with stainless steel hardware.

HOOKS

EB0-0482


Rubber hooks (small).



TOW HOOK


EB0-0571

Tow hook, stainless steel painted finish. Stud: M 12 Internal ø: 50mm Thickness: 8mm Complete: locking nut and washers.
FIA APPENDIX J art. 253




EB0-0576

Two hook, stainless steel painted finish. Stud: M 12 Internal ø: 80mm Thickness: 8mm Complete: locking nut and washers.
FIA APPENDIX J art. 253



TOW HOOK


EB0-0572



Aluminium tow hook, flat. Thickness: 6 mm

3 PEDALS SET

OA0-1010




Complete 3 pedals in sandblasted aluminium, with a long accelerator pedal. Supplied with steel bolts.
Dimensions brake: 60x100 mm
Dimensions accelerator: 60x210 mm

3 PEDALS SET


OA0-1020

Complete 3 pedals in sandblasted aluminium, with a long accelerator pedal. Supplied with steel bolts.
Dimensions brake: 60x70 mm
Dimensions accelerator: 60x210 mm



3 PEDALS SET


OA0-1030



Complete 3 smooth aluminium pedals, suitable for rally use, already drilled and countersunk. Supplied with steel bolts.
Thick: 3 mm

3 PEDALS SET

OA0-1000




Complete 3 pedals in sandblasted aluminium. Supplied with steel bolts.
Dimensions brake: 60x100 mm
Dimensions accelerator: 60x100 mm

3 PEDALS SET


OA0-1863

Complete 3 pedals in sandblasted aluminium. Supplied with steel bolts.
Dimensions brake: 60x70 mm
Dimensions accelerator: 85x120 mm



3 PEDALS SET

OA0-1050



Same features as partnumber OA/1030, but the surface of the pedals is in knurled aluminium and can be shaped as needed.
Thick: 2,5 mm

3 PEDALS SET

OA0-1040

Complete 3 pedal set with short accelerator pedal in silver anodized aluminium.
Inserts: rubber anti-slip.
Dimens. brake: 60x80 mm
Dimens. accelerator: 60x105 mm
Supplied with steel bolts.



FOOTRERST


OA0-2070



Driver's left footrest in knurled aluminium.
Dimensions: 285x120 mm

FOOTRERST

OA0-1866



Co-driver's footrest in sandblasted aluminium. Supplied with steel bolts and brackets.
Dimensions: 320x280 mm

3 PEDALS SET

OA0-1069

Complete 3 pedal set, in anodized aluminium and sandblasted aluminium, with long accelerator pedal; anti-slip design.
Dimens. brake: 60x90 mm **Dimens. accelerator:** 65x180 mm
Supplied with steel bolts.
Colours: blue ((OA/1069/B), silver (OA/1069/A).



2 PEDALS SET (no picture)

OA0-1072

Same features of OA/1069 model with 2 pedal set with long throttle pedal; brake pedal for automatic transmission.
Dimens. brake: 140x79 mm **Dimens. throttle:** 65x180 mm
Supplied with steel bolts. Colours: black ((OA/1072/N), silver (OA/1072/A).

FOOTRERST


OA0-2060



Co-driver's footrest in knurled aluminium.
Dimensions: 335x300 mm

FOOTRERST

OA0-2080



Universal flat footrest in knurled aluminium.
Dimensions: 365x418 mm

MASTER SWITCHES (6 poles)

FIA APPENDIX J ART. 253



EA0-0462

6 poles with removable key disconnecting battery and alternator.

EA0-0464

Spare key for EA/462 model.

MASTER SWITCHES (2 poles)

FIA APPENDIX J ART. 253



EA0-0460


2 poles with removable key disconnecting battery only.

EA0-0463

Spare key for EA/460 model.

STAY BARS

EB0-0570



Stay-bars, pair of zinc plated steel stay-bars for spotlights. **Variable length:** 130/195 mm

LITHIUM BATTERY

OMPS20002009

Lithium Battery 20AH
Materials: ABS
Lithium Battery for cars with Alternator, 20AH/256WH, PCC 900A, Weight 3.5KG
For cars upto 2000CC



OMPS20001809

Lithium Battery 18AH
Materials: ABS
Lithium Battery for cars with Alternator, 18AH/230WH, PCC 1000A, Weight 3.8KG
For cars upto 4000CC

SWITCHES ACCESSORIES

With threaded fixing nut, 2 poles.

PUSH BUTTON

EA0-0467

PUSH BUTTON
For exterior use, water resistant.



PROTECTION

XMC-181493

PROTECTION
Rubber ring for push button EA/467.



A line of tyre warmers available in 4 different standard sizes, offering greater versatility across a wider range of tyre sizes and now available in two types: with a standard temperature control thermostat or with a central electronic temperature control box.

Interior: Nomex®.
Exterior: Cordura® which improves transpiration allowing moisture to escape away from the tyre.
Electrical cables and connectors are compliant with EEC electrical standards.

Upon request, tyre warming blankets can be made to measure. Tyre warmers for motorcycles are also available upon request.

Tyre warmers models with a Central Electronic Temperature Control Box (part number T200) allows each of the 4 tyres to have individual temperature settings. The control box features an electronic control device controlled by software preventing overheating. The external case of the control box is ABS plastic with an electrical protection rating of IP44.

Tyre warmers models with a Standard Temperature Control allows the tyre surface to reach 80/85 °C. The time required to reach this temperature is depends on ambient temperature, tyre dimensions and operating conditions.

T00-1957-A02 - Width: 190/220 mm Ø 570/220 mm

T00-1957-A01 - Width: 190/220 mm Ø 570/585 mm

T00-1963-A02 - Width: 190/200 mm Ø 630/640 mm

T00-1963-A01 - Width: 190/200 mm Ø 630/640 mm

T00-2363-A02 - Width: 230/260 mm Ø 630/645 mm

T00-2363-A01 - Width: 230/260 mm Ø 630/645 mm

T00-2360-A02 - Width: 230/260 mm Ø 600/620 mm

T00-2360-A01 - Width: 230/260 mm Ø 600/620 mm

THE MEASUREMENTS REFER TO THE TYRE SIZES.

CUSTOM MADE MEASURE ON REQUEST

*Price is for single tyre warmer.



T00-0200-A01

T00-0200-A02

Electronic thermostatic control box with digital display for 2 tyre warming blankets.



Electronic thermostatic control box with digital display for 4 tyre warming blankets.



The expertise of two historic companies in motorsport and care respectively, mixed together for an exclusive range of products for the cleaning and maintenance of your racing gear: OMP Motorsport Care powered by MaFra.



MULTIPURPOSE
pre-wash degreaser
and stain remover

PC0-2005

- High performance specific pre-wash treat for grease and oil stains
- Helps to blast out grease and dirt from every fabric (fire retardant or karting suits, seats, steering wheels...)
- Ultra fast action
- Special formula with balanced ph
- Vol. 500 ml



SUEDE leather cleaner

PC0-2006


- Cleans and hydrates the suede leather of boots and steering wheels covers.
- New formula with aloe vera and natural waxes
- Revives the suede and keeps it soft
- Easy and fast to use
- Vol. 500 ml



SEAT FABRIC cleaner

PC0-2007

- Wipes off grease and dirt from your racing seats' fabric upholstery.
- Active foam eases the removal of dirt from the fibers
- Revives the fabric after the most stressing racing sessions
- Easy and fast to use
- Vol. 500 ml



FINE WHEELS

PC0-1001

Concentrated detergent for steel wheels, alloy wheels and brake calipers. Contents: 750 ml



BLACK LIGHT

PC0-2002

Transparent black acrylic paint for personalization of indicator lights. Colours: black, green, blue. Contents: 400 ml



FIRE PAINT

PC0-2001

Special high temperature paint for exhaust systems, brake calipers, engines, etc. Colours: red, blue, yellow, black, silver, gold. Contents: 400 ml



GS OFFICE CHAIR

HA0-0835-A01

NEW

UNI EN 1335-2020

CLASS B
HOMOLOGATION

The standard for office work chairs

- 1

Vinyl with 3D effect sewing
- 2

High quality reclining mechanism
- 3

Aluminium base
- 4

3-way adjustable arm rests
- 5

Hydraulic height adjustment

Removable lumbar cushion included.
Optional headrest cushion HBO-0709



HA0-0835-A01-178
black/yellow



HA0-0835-A01-071
black with removable cushion



HA0-0835-A01-276
black vinyl with breathable
Airnet fabric



HA0-0835-A01-073
black/red

GSX GAMING CHAIR

HA0-0836-A01

NEW

UNI EN 1335-2020

CLASS B
HOMOLOGATION

The standard for office work chairs

- 1

Vinyl with 3D effect sewing
- 2

High quality reclining mechanism
- 3

Base with colored inserts
- 4

4-way adjustable arm rests
- 5

Hydraulic height adjustment

Removable lumbar cushion included.
Optional headrest cushion HBO-0709



HA0-0836-A01-179
black/fluo orange



HA0-0836-A01-274
black/fluo green



HA0-0836-A01-071
black



HA0-0836-A01-178
black/fluo yellow

OMP E-RACING COCKPITS

OMP started a new exclusive partnership with Playseat®, the world's leading company in racing simulation cockpits. The new OMP e-racing GTR cockpit stands out for the integration with the HTE-R or Champ-R seats, the same FIA-homologated products developed by OMP for real-world racing. The virtual driving experience becomes even closer to the real thing, by perfectly replicating the ergonomics of GT, Touring and Rally cars.

The sim racers more focused on single-seater cars can opt for the Playseat® Formula model, successfully used by many globally renowned drivers.

All the sim rigs are fully compatible with any console, steering wheel, pedal board and simulation platform on the market.

GTR COCKPIT NEW

HTE-R seat ERO-0001

The OMP e-racing GTR cockpit is built around the renowned OMP seats. These FIA-homologated seats used in real racing enable to replicate the ergonomics of GT, Touring and Rally cars.



CHAMP-R seat ERO-0002

The OMP e-racing GTR cockpit is built around the renowned OMP seats. These FIA-homologated seats used in real racing enable to replicate the ergonomics of GT, Touring and Rally cars.



FORMULA COCKPIT NEW

ERO-003

The OMP e-racing custom Formula seat is ideal for sim racers focused on single-seater cars. It has been successfully tested by many globally renowned drivers and features a dedicated OMP colour scheme.



STRUT BRACES

We are the leading European manufacturer of strut braces, offering over 1000 vehicle specific applications. Our strut braces are engineered to keep suspension geometry unaltered in hard cornering, while improving feedback to the drive.

STRUT BRACES ALLUMINIUM

Extruded aluminium strut brace with adjustable ends and steel flanges.



STRUT BRACES STEEL

Steel strut brace with hardened resin paint finish and adjustable coupling.



EXPOSITION SEAT ACCESSORIES

HARNESSES STRUCTURE

X00-963-CINT



Safety harnesses fasten structure to be matched with the seat support X00-963

BASE


X00-963



Both bottom mounting or side mounting models with side brackets.



Consult our make/model application lists to find the product dedicated to your car. Use the QR to access our price list.



www.ompracing.com
and on QR code



Discover all the promotional products range on the 2023 RACEWEAR catalog!

You will find all what the driver needs for the maximum performance:

- fireproof racewear
- underwear
- shoes and gloves
- helmets and intercoms
- karting racewear and accessories

OMP CHAIR CUSTOMIZED BY **mbm** **EXTREME DESIGN**

MOTO GP / WSBK



GENOA CFC

Genoa CFC office chair (blue/red HA/777/gen7br - red/blue HA/777/gen/rb) available on ompracing.com



U.C. SAMPDORIA

U.C. Sampdoria office chair (HA/777E/SAM/BW) available on ompracing.com



CFR CLUJ



RIO AVE



SPORTING CLUBE DE PORTUGAL



FC PORTO



LUBE Volley



DINAMO SASSARI Basket

OFFICIAL LICENSED PRODUCTS

for more details visit: www.camolicensing.com



LITHIUM BATTERY
FOR CARS UPTO 2000CC
AND 4000CC



MEC GLOVE
STRETCH FABRIC
INSERTS



PRO SPORT
SAFETY SHOES



PRO URBAN
SAFETY SHOES



CAR COVER
WITH REFLECTIVE
GREY LINE



**SPORT
CAR COVER**
INTERIOR COVER



**RALLY
WHEEL**



RACING FORCE GROUP



Listed
Euronext Growth Milan (RFG)
Euronext Growth Paris (ALRFG)

SERIOUS HEAD PROTECTION



bellracing.com

RACING**FORCE**GROUP

Brands that beat with the same racing heart





RACING SPIRIT CREW LINE



Racing Spirit
racingspirit.com

RACING**FORCE**GROUP

Brands that beat with the same racing heart



SOME OF OUR FRIENDS



FABIO ANDOLFI




LORENZO BERTELLI



YOANN BONATO




CARLO BOROLI



MATTEO CAIROLI



CKR



DAMIANO DE TOMMASO



GIGI GALLI



GOLD KART



ITALCORSE




LGK



JESSE LOVE



RAFFAELE MARCIELLO



CHRISTIAN MERLI



PANTANO RACING TEAM



PB RACING



LUCA PEDERSOLI



PCR



MARTIN PROKOP



RED RACING



OLIVER SOLBERG



TGR ITALY



SHANE VAN GISBERGEN



VSR

TERM SALE

By placing an order, the buyer accepts and unconditionally agrees with the conditions described in this document, and undertakes to follow them during the course of the business relationship with Racing Force, declaring to have read and accepted them. The buyer also agrees that Racing Force don't consider themselves bound to different conditions, except where agreed in writing in advance. The buyer accepts the terms of sale indicated below. In the event of any legal dispute, the Court of Genoa, Italy, is competent. Racing Force reserves the right to modify the terms of sales anytime, also in view of possible regulatory changes. The new Terms Of Sale will be effective starting from the date of publication on OMP Racing official website (www.ompracing.com). For any request of clarification or complaint, contact the following email address: info.rf@racingforce.com

CHARACTERISTICS AND PRICES OF PRODUCTS The price indicated are VAT excluded. The characteristics and technical data of the items presented in this catalogue are not binding and can be changed without notice. The products' colors can also be considerably altered.

RETURNED ITEMS - DELIVERY TIME Racing Force is not responsible for delayed deliveries and will not pay for possible consequent damages. Returned goods will be accepted only when authorized by Racing Force, provided with regular goods return note, and carriage paid. Racing Force will charge all the costs deriving from damages on the returned goods or missing parts. Defective or not functioning items that will be returned after having been purchased will be repaired in the necessary time and will not be substituted by new ones in any way. Orders made in writing (fax, mail, e-mail, etc.) will be considered automatically confirmed and will be forwarded in accordance with the normal procedure. The goods travel at the risk of the consignee, and any damage caused during the carriage will be charged to the consignee.

CARE AND MANTAINANCE Before the use of any item, carefully read the labels and the user's manual, and strictly follow the instructions. Improper use or mantainance can reduce the effectiveness of the item, provoke untimely wear and increase the risk of serious or lethal injuries in case of accident or fire. Improper use or mantainance void the guarantee and relieve Racing Force from any responsibility towards the user.

WARNING

Motorsport is an intrinsically dangerous activity, that can result in serious or lethal injuries. The items described in this catalogue provide for protection on specific parts of the body for a limited period of time in controlled test conditions, in accordance with the FIA standard specified on each item's label. No device can provide a complete protection from every injury in case of accident or fire. The user, at the time when he uses the products, relieves the manufacturer, the distributor, the owner, the employees, the agents, the sales representatives from any responsibility. It is the user's responsibility to become familiar with all available informations about the correct use and mantainance of the products. If uncertain of the correct use and mantainance, the user must not use the products. The manufacturer, the distributor and their respective owners, employees, agents and representatives are not responsible for mistakes or omissions.

DISCLAIMER

- Each personal safety device is part of a complete safety system including the other racewear products, protections, the vehicle, the racetrack, the event organization.
- Personal safety products are not conceived to provide the same performance level or protection through the whole specific product. Different parts or areas of the product can provide different levels of protection, in spite of the fact that they may appear the same.
- Personal safety products must always be inspected before use and replaced after any evidence of wear, and after exposure to chemicals, excessive heat or any unusual condition.
- Products are sold to be used in legally sanctioned autosport events only, and are not intended to be used and/or installed for regular street use, as street use safety products are subject to different homologations and laws depending on the State or country.

- It is the user's responsibility to become familiar with all available informations about the correct use and mantainance of the products. If uncertain of the correct use and mantainance, the user must not use the products. The manufacturer, the distributor and their respective owners, employees, agents and representatives are not responsible for mistakes or omissions.

- Every single modification or customization of the products, and every operation on them may reduce their security features. Thus, the user is responsible at his own risk for the reduction of security features caused by modification or customization.

BY THE USE OF THESE PRODUCTS, THE USER ACKNOWLEDGES:

That each personal safety device is part of a complete safety system including the other racewear products, protections, the vehicle, the racetrack, the event organization; that personal safety products are not conceived to provide the same performance level or protection through the whole specific product. Different parts or areas of the product can provide different levels of protection, in spite of the fact that they may appear the same; that personal safety products must always be inspected before use and replaced after any evidence of wear, and after exposure to chemicals, excessive heat or any unusual condition.

That the helmet is conceived and designed to reduce the risk of cranial and facial injuries only in case of impact. That no helmet can protect against any possible and foreseeable impact. That helmets are not recommended and sold for high-risk jobs such as refuelers. Further information at the following web addresses: www.ompracing.com and www.ompamerica.com

INDEX

A	
70	Air cooling kit
B	
210	Bonnet pins
C	
182	Car cover
215	Chemical products
207	Chronometers
208	Co-driver accessories
208	Co-driver map lights
E	
213	Electrical accessories
154	Extinguisher accessories
130	Extinguishers
L	
213	Lithium battery
M	
213	Master switches
N	
206	Nets - racing
P	
211	Pedalsets and footrest
207	Pit boards
221	Promotional items
R	
204	Racing accessories
224	Rally wheel
124	Roll bars
128	Roll bars - accessories
S	
78	Safety belts
12	Seats
71	Seats - accessories
72	Seats - vintage
73	Seats - specific brackets
74	Seats - universal brackets
218	Sim cockpits
213	Stay bars
180	Steering wheel - accessories
181	Steering wheel - hubs
158	Steering wheels - racing
181	Steering wheel - spacers
220	Strut braces
T	
210	Tow hook
214	Tyre warmers
W	
216	Wheeled chair
Z	
184	Zeronoise communication devices



A BRAND OF

RACING
FORCE
GROUP



CONTACT US

RACING FORCE S.p.A. (Headquarter)

Via E. Bazzano, 5
16019 Ronco Scrivia (GE) Italy
Phone: +39 010 96501
Fax: +39 010 935698
Email: info.rf@racingforce.com
ompracing.com

RACING FORCE USA Inc.

241 NE 61st St. Miami, FL 33137
Phone: (305) 373-0051
Fax: (305) 373-6673
Toll Free: 1 866 OMP-2637
Email: info.usa@racingforce.com
ompamerica.com



MOTORSPORT EXPORT SALES

Phone: +39 0109650150
Fax: +39 010 935698
Email: exportsales.rf@racingforce.com



MOTORSPORT ITALIAN SALES

Phone: +39 010 9650147
Fax: +39 010 93505808
Email: vendite.italia@racingforce.com



KART SALES

Phone: +39 010 9650147
Fax: +39 010 93505808
Email: kartsales.rf@racingforce.com



Scan the QR code
for price list



C A R P A R T S
2 0 2 4 C A T A L O G

RACING**FORCE**GROUP



X00-881-2024-OMPCP

CATALOG OMP 2024 CAR
PARTS



8 056690 456599